

# General Condition

## HOW TO ORDER – TERMS OF DELIVERY

-----

### HOW TO ORDER

Note Art.no. and number.

How you decipher an Art.no.

303120 Art.no. ending with 0 are example on a not consumer packed article, which can be ordered by the piece or in 100 packing.

There are exceptions when a consumer packed article has an art.no. that ends with 0.

303221 Art no. ending with 1, 4 or 5 are example on an article which for the most part will be delivered in the LM-pack, but can also be delivered in the LM-bag packed if the dimension necessitates so, description on page 3. Ordered quantity should be possible to divide with 4.

303123 Art no. ending with 3 are example on an article which will be delivered either in LM-pack or LM-bag packed depending on requirements. Always in LM-bag packed if the dimensions LM-pack are not suitable.

### Order could be done by:

E-mail [info@lindalsundetsmarina.se](mailto:info@lindalsundetsmarina.se)

Phone +46 (0)8 559 27 800

Post: Box 80, SE-618 21 Kolmården, Sweden

Webb address: [www.lindalsundetsmarina.se](http://www.lindalsundetsmarina.se)

### TERMS OF DELIVERY

Goods will be sent by DPD – Packing will be charged to your account to cost price.

The freight costs will be charged to your account if you don't prefer to ship by your own shipping agent.

---

Lindalsundets Marina AB  
Box 80  
SE 618 21 Kolmården  
Sweden

Tel +46(0)8 559 27 800  
Bankgiro 127-5122  
[info@lindalsundetsmarina.se](mailto:info@lindalsundetsmarina.se)

Mobile +46(0)70 187 18 20  
Plusgiro 65 75 85-6  
[www.lindalsundetsmarina.se](http://www.lindalsundetsmarina.se)

**The prices are quoted with reservation**

**To change or cancelled caused by  
reason beyond our control, like  
changed exchange rates, material-  
prices etc**

**All prices are in currency: SEK**

**Lindalsundets Marina AB**

# LM-Marin pack

## AN ATTRACTIVE POINT OF SALE PACKAGING SYSTEM

Sample of the **NEW LM-Marin pack** with the Customer's logo in colour. Width: 65 Height 130mm

Sample of the plastic bag packaging system  
Width: 74 mm.  
Height: Min. 65 mm

Front side



Back side



Bagpack




BLISTER TYPE I: measure against the wall: 65x134 mm and 3 blister sizes.  
BLISTER TYPE II: measure against the wall: 80x160 mm and 2 blister sizes.  
TYPE I: blisters are available in sizes; HxWxD 25x50x12, 70x50x20, 70x50x30mm  
TYPE II: blisters are available in size HxWxD 160x80x25 mm  
TYPE III Packed in a plastic bag width against the wall:  
Width 74 mm Height: min. 65mm.

Blister type I can be packed with 6 or 4 blisters in a cardboard box labelled art.no. +barcode

TYPE IV Hanger for bag packed with the customer's logo in colour.

The article measures against the wall: W=65 mm H min. 65mm,

In the system with blisters can only articles with max. length of 65 mm be pre-packed, longer articles will be packed in plastic bags with hanger.



In the type of cardboard box, on the picture to the left are articles with sales in 50 or 100 packed.

The carton label is always printed with the buyer's logo or name in text. The article information in text and mostly a picture of the article. All boxes are fitted with the products EAN 13 barcode.

The LM-blister is refillable with make the package easy to sort out and recover.

=ENVIRONMENT

|                                          |                            |                            |                 |                 |
|------------------------------------------|----------------------------|----------------------------|-----------------|-----------------|
| <b>Address:</b>                          |                            |                            |                 |                 |
| <b>Box 80, 618 21 Kolmården, Sweden</b>  | <b>Phone</b>               | <b>Mobile</b>              | <b>Bankgiro</b> | <b>Plusgiro</b> |
| <b>Mail: info@lindalsundetsmarina.se</b> | <b>+46 (0)8 559 27 800</b> | <b>+46 (0)70 187 18 20</b> | <b>127-5122</b> | <b>657585-6</b> |

## NAUTICAL GIFTS



KEY-RING CORK

| Art.no. | Description                                                                                                            |
|---------|------------------------------------------------------------------------------------------------------------------------|
| 230020  | Key ring/cork 1 round cork ball 52 mm Ø Net lift about 40 gr. Blue 5 mm plaited rope (floating) Key ring: Brass-plated |



KEY-RING CORK

| Art.no. | Description                                                                                                         |
|---------|---------------------------------------------------------------------------------------------------------------------|
| 230200  | Key ring/cork 1 pear-shaped 50x70 mm Net lift about 40 gr. Blue 5 mm plaited rope (floating) Key ring: Brass-plated |



KEY-RING CORK

| Art.no. | Description                                                                                               |
|---------|-----------------------------------------------------------------------------------------------------------|
| 230290  | Cork design boat 102x55x23 Net lift about 45 gr Blue 4 mm plaited rope (floating) Key ring: Brass-plated. |



KEY-RING CORK

| Art.no. | Description                                                                                                            |
|---------|------------------------------------------------------------------------------------------------------------------------|
| 230030  | Key ring/cork 2 round cork ball 52 mm Ø Net lift about 85 gr. Blue 5 mm plaited rope (floating) Key ring: Brass-plated |



KEY-RING CORK

| Art.no. | Description                                                                                                             |
|---------|-------------------------------------------------------------------------------------------------------------------------|
| 230180  | Key ring/cork 1 round cork ball 35 mm Ø Net lift about 15 gr. Blue 3 mm plaited rope (floating) Key ring: Brass-plated. |

COMBINATION KEY  
with 1 oval flat cork

| Art.no. | Description                                                                                                             |
|---------|-------------------------------------------------------------------------------------------------------------------------|
| 230010  | Oval flat cork 105x47x24mm. useful for opening of shackles, deck flanges or as a screw driver. Made of stainless steel. |



KEY-RING CORK

| Art.no. | Description                                                                                                                  |
|---------|------------------------------------------------------------------------------------------------------------------------------|
| 230210  | Key ring/cork 1 oval flat cork 105x47x24 mm. Net lift about 45 gr. Blue 4 mm plaited rope (floating) Key ring: Brass-plated. |



KEY-RING CORK

| Art.no. | Description                                                                                                             |
|---------|-------------------------------------------------------------------------------------------------------------------------|
| 230220  | Key ring/cork 2 round cork ball 35 mm Ø Net lift about 30 gr. Blue 3 mm plaited rope (floating) Key ring: Brass-plated. |



COASTERS

| Art.no.             | Description                                                                                                                   |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------|
| in 4-pack<br>230304 | Glass-mat made of cork Ø ca 90mm thickness 5 mm. With SHIP's image printed in blue. Special image print is possible to order. |

|                                    |                     |                     |          |          |
|------------------------------------|---------------------|---------------------|----------|----------|
| Address:                           |                     |                     |          |          |
| Box 80, 618 21 Kolmården, Sweden   | Phone               | Mobile              | Bankgiro | Plusgiro |
| Mail: info@lindsalsundetsmarina.se | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 | 657585-6 |



**TABLEMAT**  
Made of cork

| Art.no.             | Description                                                                                                 |
|---------------------|-------------------------------------------------------------------------------------------------------------|
| in 2-pack<br>230302 | Tablemat of cork 400x295x5 mm. With SHIP's image printed in blue. Special image print is possible to order. |




**"WHETSTONE"**

| Art.no. | Description |
|---------|-------------|
| 231010  |             |

**Description**

**"WHETSTONE"** is the perfect handy whetstone for fisher-men, sailors, or home use when ever there is a need to sharpen an edge or hooks, blades etc...

**"WHETSTONE"** is floating if you drop it into the sea.




**DECK FILLER-CAP & SHACKLE OPENER**  
made of stainless steel. Could be delivered with or without cork float.  
Length: 165 mm  
Width: 20 mm

| Art.no | Description        |
|--------|--------------------|
| 180080 | Opener with floats |
| 180070 | Only opener        |




**SHIP'S MAGNET**  
LIFT CAPACITY 60 KG  
Delivered in a labeled box

| Art.no | Description                                                       |
|--------|-------------------------------------------------------------------|
| 240093 | Diam. 80 mm Weight: 400 gr. Incl. apr. 5 m, 5mm polypropylen line |



**CHART MAGNIFIER**  
Made of white plastic. Lens 110 mm diam. With light

| Art.no. |  |
|---------|--|
| 197711  |  |



**GLAS & CAN HOLDER**

| Art.no | Description          |
|--------|----------------------|
| 230530 | Collapsibler 95x95mm |



**COMBINATION TOOL**

| Art.no | Description                                                |
|--------|------------------------------------------------------------|
| 230280 | For opening of deck flangels schackles, or as sscrewdriver |



**SHACKLES**

| Straight model Made of brass |        |       |        |
|------------------------------|--------|-------|--------|
| Art.no.                      | Screw  | Diam. | Length |
| 210390                       | Slice  | 4 mm  | 26 mm  |
| 210400                       | Slicee | 5 mm  | 37 mm  |
| Bow screw modell             |        |       |        |
| Art.no.                      | Screw  | Diam. | Length |
| 210410                       | eye    | 4 mm  | 25 mm  |
| 210420                       | eye    | 5 mm  | 35 mm  |

|                                   |                     |                     |          |          |
|-----------------------------------|---------------------|---------------------|----------|----------|
| Address:                          |                     |                     |          |          |
| Box 80, 618 21 Kolmården, Sweden  | Phone               | Mobile              | Bankgiro | Plusgiro |
| Mail: info@lindalsundetsmarina.se | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 | 657585-6 |

## NAUTICAL GIFTS




**SHIP'S BELL-HD**  
highest quality,  
and finish

| Art.no                               | High<br>mm | Ø base<br>in mm | Weig<br>ht kg |
|--------------------------------------|------------|-----------------|---------------|
| 150020                               | 130        | 125             | 1,0           |
| 150030                               | 160        | 150             | 1,5           |
| Extra equipment<br>150010 Bell strap |            |                 |               |



**Bulkhead light round**  
Brass polished 240v-E27

| Art.no. | Ø mm   |  |
|---------|--------|--|
| 163981  | 155 mm |  |
| 163982  | 190 mm |  |



**Bulkhead light oval**  
Brass polished 240v-E27

| Art.no. | Length x wide |
|---------|---------------|
| 163980  | 130x 175 mm   |



**WARDROBE HOOK**  
brass double

Art.no. 230410



**WARDROBE HOOK**  
Brass pol. trippel  
100x80mm

Art.no. 230260



**ANCHOR HOOK**  
brass Length 120mm

Art.no. 230450



**BOTTLE OPENER**  
Brass polished

Art. no. 220060



**FLAG LINE SWIVEL**  
Brass polished

Art.no. PCs / packaged  
220041 1 kit = 2-parts



**BOAT HOOK**  
made of bronze or brass

| Art.no.          | Length | Diam | Weight |
|------------------|--------|------|--------|
| Bronze<br>220090 | 185mm  | 30mm | 300gr  |
| Brass<br>220070  | 185mm  | 30mm | 300gr  |



**HAND RAIL,**  
Brass polished.  
With blocked screw.  
Inside.diam. 38mm

| Art.no. | For rope |
|---------|----------|
| 230510  | 38 mm    |



**END PART, BRASS**  
Brass polished  
With blocked screw

| Art.no. | For rope |
|---------|----------|
| 230520  | 38 mm    |



**END PART, BRASS**  
Brass polished  
With hook

| Art.no. | For rope |
|---------|----------|
| 230500  | 38 mm    |


|                                   |                     |                     |          |          |
|-----------------------------------|---------------------|---------------------|----------|----------|
| <b>Address:</b>                   |                     |                     |          |          |
| Box 80, 618 21 Kolmården, Sweden  | Phone               | Mobile              | Bankgiro | Plusgiro |
| Mail: info@lindalsundetsmarina.se | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 | 657585-6 |



# Skargard

Our love of natural products and the "Bohuslaenska" is reflected in our range and with special consideration for the environment.

Skargard's seawater soaps are made of 100% natural ingredients and are equipped with a handmade loop of hemp rope with a cork, so they won't sink! They give a nice foam in salt water.



The soaps come in two sorts, sea weed and seabuckthorn. They both contain natural oils to not dry out the skin.




Art.no.230040

Seawater soap Seabuckthorn 200 g

Art.no.230050

Seawater soap Sea weed 200 g



**FLOOR RING 76x53**

|         |        |               |
|---------|--------|---------------|
| Art.no. | 120310 | Brass pol     |
| Art.no. | 120320 | Brass pol chr |



**FLOOR RING 64x58**

|        |        |               |
|--------|--------|---------------|
| Art.no | 120330 | Brass pol     |
| Art.no | 120340 | Brass pol chr |



**FLOOR RING**

|        |        |               |
|--------|--------|---------------|
| Art.no | 120350 | Brass pol     |
| Art.no | 120360 | Brass pol chr |



**FLOOR RING**

|        |        |               |
|--------|--------|---------------|
| Art.no | 120370 | Brass pol     |
| Art.no | 120380 | Brass pol chr |



**CABIN DOOR HOOK**

Length 75 mm


|        |        |               |
|--------|--------|---------------|
| Art.no | 120390 | Brass pol     |
| Art.no | 120400 | Brass pol chr |



**CABIN DOOR HOOK**

Length 75 mm

|        |        |               |
|--------|--------|---------------|
| Art.no | Set of | Teakring      |
| 120410 | 3      | 39,5 mm diam. |



**BALL CATCHER**

Brass Stainless ball


| Art.no | Art.no Packed | PCs. / Package | Length |
|--------|---------------|----------------|--------|
| 120010 | 120011        | 2              | 43 mm  |
| 120020 | 120021        | 2              | 50 mm  |
| 120030 | 120034        | 1              | 60 mm  |
| 120040 | 120044        | 1              | 70 mm  |



**CABIN DOOR HOOK**

articulated, brass pol.

|          |        |      |
|----------|--------|------|
| Art.no.. | Length | 2    |
| 120420   | 100 mm | eyes |



**BARREL BOLT 50 mm**

|        |        |               |
|--------|--------|---------------|
| Art.no | 120430 | Brass pol     |
| Art.no | 120440 | Brass pol chr |



**FLOOR RING**

with spring S.Steel.


|          |          |  |
|----------|----------|--|
| Art.no.. | Measure  |  |
| 120450   | 60x50 mm |  |



**EXCENTER LOCK**

Stainless steel

| Art.no. | Length | Wide  |
|---------|--------|-------|
| 120070  | 90 mm  | 28 mm |



**SAFETY HASP**

Stainless steel

| Art.no. | Length | Wide  |
|---------|--------|-------|
| 120000  | 70 mm  | 30 mm |

**SNAP HOOK**

BRASS CHROM



| Art.nr. | Total Längd | Ø mm |
|---------|-------------|------|
| 210120  | 55 mm       |      |
| 210130  | 85 mm       |      |
| 210140  | 100 mm      |      |

**WIREGATE HOOK**

Stainless steel



| Art.no. | Length | Ø mm  |
|---------|--------|-------|
| 210010  | 60 mm  | 6 mm  |
| 210020  | 80 mm  | 8 mm  |
| 210030  | 100 mm | 10 mm |
| 210040  | 120 mm | 12 mm |



**HATCH FASTENER**

Brass chrom plated

| Art.no. | Size     | Wide     |
|---------|----------|----------|
| 120060  | 95x30 mm | Straight |
| 120100  | 95x30 mm | Angle    |

|                                   |                     |                     |          |          |
|-----------------------------------|---------------------|---------------------|----------|----------|
| Address:                          |                     |                     |          |          |
| Box 80, 618 21 Kolmården, Sweden  | Phone               | Mobile              | Bankgiro | Plusgiro |
| Mail: info@lindalsundetsmarina.se | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 | 657585-6 |

## BOATHOOKS

4 Different types of poles made of aluminium

| Tele-scope<br>1000-<br>2000<br><b>NEW!</b>                                         | Length<br>1600 x<br>25 mm                                                          | Length<br>1600 x<br>25 mm                                                          | Length<br>1600 x<br>25 mm                                                          |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
|  |  |  |  |
| LM-vx<br>adapter                                                                   | Alum.<br>hook                                                                      | LM-vx<br>adapte                                                                    | Kimgrip-<br>holder &<br>Plastic-<br>hook                                           |
| Art.no.<br>255000                                                                  | Art.no.<br>250061                                                                  | Art.no.<br>255010                                                                  | Art.no.<br>250072                                                                  |
|                                                                                    | 210463<br>L=2450                                                                   |                                                                                    |                                                                                    |

## BUOY SMART set

| Art.no. | 250360 | consist of                                  |
|---------|--------|---------------------------------------------|
|         |        | 1 pcs 255010, 1 pcs 255020,<br>1 pcs 250310 |

SCRUBBING BRUSH  
fits Buoy-Smart pole

| Art.no. | Wide   | Ø mm  |
|---------|--------|-------|
| 250310  | 210 mm | 25 mm |



"KIMGRIP"

fits shaft art.no. 255010 or as  
art.no.250072, pole with hook

| Art.no. | Length | Ø mm  |
|---------|--------|-------|
| 255040  | 200 mm | 25 mm |

Scrubbing brush type  
"HEDGEHOG"

| Art.nr. | Wide  | Ø mm  |
|---------|-------|-------|
| 220130  | 210mm | 25 mm |

Scrubbing brush type  
"BOINE"

| Art.nr. | Brush of polypropylene It bears 115 gr C |
|---------|------------------------------------------|
| 255050  |                                          |



BOATHOOK plastic

| Art.no. | Length | Ø mm  |
|---------|--------|-------|
| 255020  | 285 mm | 25 mm |



BOATHOOK

made of aluminium, for a  
wood- or aluminium pole  
with screws.

| Art.no. | Length | Connection |
|---------|--------|------------|
| 210830  | 190 mm | 30 mm Ø    |

BOAT HOOK  
made of bronze  
or brass

| Art.no. | Length | Connection |
|---------|--------|------------|
| 220070  | 185 mm | 30 mm Ø    |
| 220090  | 185 mm | 30 mm Ø    |



"MERX"

Self locking security hook  
for mooring at buoy or  
bridge. Could be locked  
with a padlock. Made of  
Stainless. Steel.  
Breaking limit 2500 kg.

## FITS TO "KIMGRIP"

| Art.no. | Total length |  |
|---------|--------------|--|
| 210072  | 220 x mm     |  |



BOUY HOOK

S.S.-With bracket for  
mounting on the  
BOATHOOK POLE

| Art.no. | Dimension   |
|---------|-------------|
| 210170  | 12 x 120 mm |



SNAP HOOK

Brass chromed

| Art.no. | Total Length | Ø mm |
|---------|--------------|------|
| 210120  | 55 mm        |      |
| 210130  | 85 mm        |      |
| 210140  | 100 mm       |      |

## Address:

Box 80, 618 21 Kolmården, Sweden

Mail: info@lindsundetsmarina.se

## Phone

+46 (0)8 559 27 800

## Mobile

+46 (0)70 187 18 20

## Bankgiro

127-5122

## Plusgiro

657585-6



**PADLOCK  
MADE OF BRASS**

| Art.no | Width | Shackle ø |
|--------|-------|-----------|
| 120190 | 30 mm | 5 mm      |
| 120200 | 40 mm | 7 mm      |



**PADLOCK  
MADE OF BRASS  
SHACKLE OF S.  
STEEL**

| Art.no. | Width | Shackle<br>Lx Dim |
|---------|-------|-------------------|
| 120240  | 40 mm | 7 x 80 mm         |

**Smart  
SNUBBER**

Is fitted to the line  
fast and easy  
whenever needed



Art.no. 210853 diam up to 16mm  
Art.no. 210863 diam up to 20mm



**2-PADLOCKS  
MADE OF BRASS SAME KEY**

| Art.no | Width | Shackle ø |
|--------|-------|-----------|
| 120230 | 40 mm | 7 mm      |



**3-PADLOCKS  
MADE OF BRASS SAME KEY**

| Art.nr. | Bredd | Bygel ø |
|---------|-------|---------|
| 120180  | 30 mm | 5 mm    |



**PADLOCK  
MADE OF BRASS  
SHACKLE OF S. STEEL**

| Art.no | Width | Shackle ø |
|--------|-------|-----------|
| 120260 | 50 mm | 9 mm      |



The **Smart Snubber** is a new and innovative solution which can easily compensate your boat for instant loads on the mooring lines. The compensation effect you need is highly depending on your boat and mooring lines.

With the **Smart Snubber** you can easily adjust the compensation effect by adding some more Snubbers on the same line. The material used in the Snubber is a special polyurethane with outstanding durability that will do the job in all wether conditions and still keep its shape and tension after many years of wearing and tearing.

Smart Snubbers with its handy and small size and attractive navy blue colour makes an interesting choice for boat owners when it comes to mooring compensators.

|                                   |                     |                     |          |          |
|-----------------------------------|---------------------|---------------------|----------|----------|
| <b>Address:</b>                   |                     |                     |          |          |
| Box 80, 618 21 Kolmården, Sweden  | Phone               | Mobile              | Bankgiro | Plusgiro |
| Mail: info@lindalsundetsmarina.se | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 | 657585-6 |

**Modell 1**

Art.no.210543  
Rope Ø 20-24

Art.no.210533  
Rope Ø 14-18

Art.no.210523  
Rope Ø 12-16

Art.no.210513  
Rope Ø 10-12

**Modell 2**

Art.no.210430  
Rope Ø 16-20

Art.no.210380  
Rope Ø 12-14

Art.no.210330  
Rope Ø 10-12

**Modell 3**


Art.no.210843  
Rope Ø 16-20

Art.no.210873  
Rope Ø 12-14

Art.no.210823  
Rope Ø 6-10

**PCs / bag.**

- |   |      |                                                     |
|---|------|-----------------------------------------------------|
| 1 | PCs. | <u>Model 1</u> : lengths: 600, 520, 416, och 332 mm |
| 1 | PCs  | <u>Model 2</u> : lengths: 260, 210, och 155 mm      |
| 1 | PCs  | <u>Model 3</u> : lengths: 400, 250, och 155 mm      |



**LM-marinpack**  
drive pin-kits includes  
always three drive pins and  
one cotter-pin. A4



**ARCHIMEDES-PENTA**  
Drivepins & Cotterpins

| Art.no. | Motor model                                                                        |
|---------|------------------------------------------------------------------------------------|
| 400075  | AP50, AP50A, AP14,<br>AP140,<br>AP250, AP25S, A450,<br>AP450, A9,0, A9,9,<br>AP120 |

**CRESCENT**

| Art.no | Motor model                      |
|--------|----------------------------------|
| 400075 | MC5A, MC14, MC25S,<br>MC40, MC45 |

**EVINRUDE / JOHNSON**

| Art.no | HP  | Motor model  |
|--------|-----|--------------|
| 400115 | 1,5 | To year 1980 |
|        | 3   |              |
|        | 3,8 |              |
|        | 4   |              |

**EVINRUDE / JOHNSON**

| Art.no | HP  | Motor model               |
|--------|-----|---------------------------|
| 400125 | 2   | With plastic<br>propeller |
|        | 2,5 |                           |
|        | 4   |                           |

**EVINRUDE / JOHNSON**

| Art.no | HP  | Motor model |
|--------|-----|-------------|
| 400135 | 4   | 1985, up    |
|        | 4,5 | 1984, up    |
|        | 5   | 1984, up    |
|        | 6   | 1980, up    |
|        | 6,5 | 1984, up    |
|        | 7,5 | 1984, up    |
|        | 8   | 1984, up    |

**EVINRUDE / JOHNSON**

| Art.no | HP    | Motor model                              |
|--------|-------|------------------------------------------|
| 400145 | 6 -25 | With split<br>gear house to<br>year 1983 |

**HONDA**

| Art.no | HP  | Motor model |
|--------|-----|-------------|
| 400075 | 100 | 4 - STROKE  |

**MARINER / YAMAHA**

| Art.no | HP |  |
|--------|----|--|
| 400065 | 2  |  |

**MARINER / YAMAHA**

| Art.no | HP  |  |
|--------|-----|--|
| 400095 | 3,5 |  |
|        | 4   |  |
|        | 5   |  |

**MARINER / YAMAHA**

| Art.no | HP |                                          |
|--------|----|------------------------------------------|
| 400105 | 8  | Without outlet<br>in propeller<br>centre |

**MARINER / YAMAHA**

| Art.no | HP |                                          |
|--------|----|------------------------------------------|
| 400075 | 15 | Without outlet<br>in propeller<br>centre |
|        | 20 |                                          |
|        | 25 |                                          |

**MERCURY**

| Art.no | HP  |  |
|--------|-----|--|
| 400155 | 2,2 |  |

**SUZUKI**

| Art.no | HP  |  |
|--------|-----|--|
| 400165 | 2   |  |
|        | 3,5 |  |
|        | 4   |  |

**SUZUKI**

| Art.no | HP |  |
|--------|----|--|
| 400175 | 5  |  |
|        | 6  |  |
|        | 8  |  |

**TOHATSU**

| Art.no | HP   |  |
|--------|------|--|
| 400075 | M8A- |  |
|        | M12A |  |

**VOLVO PENTA**

| Art.no | HP  |  |
|--------|-----|--|
| 400065 | 3,9 |  |

**VOLVO PENTA**

| Art.no | Motor model                                               |
|--------|-----------------------------------------------------------|
| 400075 | VP51, VP90, VP99,<br>VP120, VP121, VP123,<br>VP200, VP450 |

**DIMENSION TABLE**

| Art.no | Drive pin ø<br>x Length<br>in mm | Cotter pin<br>ø x Length<br>in mm |
|--------|----------------------------------|-----------------------------------|
| 400065 | 3,2 x 22,0                       | 3,0 x 40,0                        |
| 400075 | 5,0 x 35,0                       | 3,0 x 40,0                        |
| 400095 | 5,0 x 25,0                       | 3,0 x 40,0                        |
| 400105 | 5,0 x 34,0                       | 3,0 x 40,0                        |
| 400115 | 3,2 x 20,5                       | 2,5 x 50,0                        |
| 400125 | 3,2 x 27,0                       | 2,5 x 50,0                        |
| 400135 | 4,7 x 32,0                       | 3,0 x 45,0                        |
| 400145 | 4,7 x 35,0                       | 3,0 x 45,0                        |
| 400155 | 4,0 x 26,0                       | 4,0 x 50,0                        |
| 400165 | 4,0 x 24,0                       | 3,0 x 45,0                        |
| 400175 | 5,0 x 27,0                       | 2,5 x 50,0                        |



**START ROPE**

of polyamid 16 brad with core  
for outboard motors

| Art.no | Length   | Ø      | PCs/<br>P |
|--------|----------|--------|-----------|
| 290054 | 2,450 mm | 3,0 mm | 1 st      |
| 290064 | 2,450 mm | 3,5 mm | 1 st      |
| 290074 | 2,450 mm | 4,0 mm | 1 st      |
| 290084 | 2,450 mm | 4,5 mm | 1 st      |
| 290094 | 2,450 mm | 5,0 mm | 1 st      |



**A KIT OF GASKETS**

for fill- and vent screws on  
outboard-motors.

| Art.no | Fits all | PCs gaskets<br>/P |
|--------|----------|-------------------|
| 400015 | OMC      | 4                 |
| 400025 | MARINER  | 5                 |
| 400035 | MERCURY  | 6                 |
| 400045 | SUZUKI   | 2                 |
| 400055 | YAMAHA   | 2                 |

|                                   |                     |                     |          |          |
|-----------------------------------|---------------------|---------------------|----------|----------|
| <b>Address:</b>                   |                     |                     |          |          |
| Box 80, 618 21 Kolmården, Sweden  | Phone               | Mobile              | Bankgiro | Plusgiro |
| Mail: info@lindalsundetsmarina.se | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 | 657585-6 |



All-Round Navigation  
top lantern,  
fits to 25 mm aluminium pipe

| Art.no. | High       | Ø mm  |
|---------|------------|-------|
| 140190  | 100 mm     | 52 mm |
| 140280  | Extra lens |       |

### JACK STAFF

With all-round  
navigation light,  
electric cable  
included



L=700mm

With all-round  
navigation top  
lantern fitted



L=1230mm

Length: 700 mm  
Tube Ø: 25mm  
Art.no. 140210

Mounting plate,  
80x50x3mm, for  
separate  
combined  
lantern.  
Length: 1230mm  
Pipe Ø. 25mm  
Connection:  
25mm  
Art.no. 140170



### ALFA navigation lights

Stainless steel  
Width 58mm, High 98mm,  
Deep 53mm  
Bulb not included.  
Bulb art.nr.200131

| Art.no. | Angle     | Type      |
|---------|-----------|-----------|
| 140030  | 225 °     | Top       |
| 140040  | 135 °     | Stern     |
| 140050  | 112,5 °   | Starboard |
| 140060  | 112,5 °   | Port      |
| 140070  | 2x112,5 ° | Combined  |

### Extra lenses

| Art.no. | Angle     | Type     |
|---------|-----------|----------|
| 140080  | 225 °     | White    |
| 140090  | 135 °     | Stern    |
| 140100  | 112,5 °   | Port     |
| 140110  | 2x112,5 ° | Combined |



### Flag-Pole-socket

Made of brass, chrom. plated  
with loose tube bush angled 15°

| Art.no. | High | Hole Ø mm       |
|---------|------|-----------------|
| 220010  | 70mm | extra case 25mm |



### Jack Staff Socket,

made of polished stainless steel  
with 2 hexagon socket set  
screws to lock the tube

| Art.no. | Höjd  | Inv Ø |
|---------|-------|-------|
| 210260  | 50 mm | 25 mm |



**Ett unikt flytande  
tätmedel användbart till  
det mesta.**

Finner och tätar för ögat  
nästan osynliga hårfina  
sprickor som läcker.  
Ingen demontering  
nödvändig, spar tid och möda.  
Användbart till såväl båt, bil,  
hus som husvagn för de  
retfulla läckorna.

### Varför UNIKT?

Jo denna tunnflytande Co-  
Polymer finner hårfina  
sprickor genom att utnyttja  
kapillärkraften för att tränga in  
i sprickorna och bilda en  
elastisk och transparent  
tätning.

LEVERERAS I KARTONG  
om 12 st. 60ml. flaskor

Art.nr. 250200

| Address:                          | Phone               | Mobile              | Bankgiro | Plusgiro |
|-----------------------------------|---------------------|---------------------|----------|----------|
| Box 80, 618 21 Kolmården, Sweden  | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 | 657585-6 |
| Mail: info@lindalsundetsmarina.se |                     |                     |          |          |



**"NORSKA KNAPPEN"**

|            |             |                    |
|------------|-------------|--------------------|
| 6,5mm Neck | High 10,5mm | Base 10,5 mm diam. |
| Art.no.    | Neck        | PCs/Package.       |
| 100070     | 6mm         | =Ord. quantity     |
| 100071     | 6mm         | 4+4 Screws         |
| 100078     | 6mm         | 100 / Box          |



**Prong Eylet & Washer**

|         |  |               |
|---------|--|---------------|
| Art.no. |  | PCs/Package.  |
| 100130  |  | =Ord.quantity |
| 100145  |  | 4             |
| 100148  |  | 100 / Box     |



**Stud with Eylet & Washer**

| Stud with prongs |             | Stud Cloth/Cloth |
|------------------|-------------|------------------|
| Art.no.          | Model       | PCs/Package.     |
| 100970           | Prongs      | =Ord.quantity    |
| 100975           | Prongs      | 2                |
| 100980           | Cloth/Cloth | =Ord.quantity    |
| 100985           | Cloth/Cloth | 2                |



**Turn Buttons**

|          |          |                          |
|----------|----------|--------------------------|
| 6mm Neck | 8mm Neck | 10mm Neck                |
| Art.no.  | Neck     | PCs/Package.             |
| 100080   | 6mm      | =Ord. quantity           |
| 100081   | 6mm      | 4+8 Screws               |
| 100084   | 6mm      | 5+5 Prong Eylet & Washer |
| 100088   | 6mm      | 100 / Box                |
| 100090   | 8mm      | =Ord. quantity           |
| 100091   | 8mm      | 4+8 Screws               |
| 100094   | 8mm      | 5+5 Prong Eylet & Washer |
| 100098   | 8mm      | 100 / Box                |
| 100100   | 10mm     | =Ord. quantity           |
| 100101   | 10mm     | 4+8 Screws               |



**Turn Button with Prong**

|         |      |               |
|---------|------|---------------|
| Art.nr. | Neck | PCs/Package.  |
| 100890  | 6mm  | =Ord.quantity |
| 100895  | 6 mm | 4             |



**Stud with Plate**

|         |       |             |
|---------|-------|-------------|
| Art.no. | Model | PCs.        |
| 101000  | Low   | =Ord. quant |
| 101005  | Low   | 2           |



**Super spot fastener**

|         |  |               |
|---------|--|---------------|
| Art.no. |  | PCs/Package.  |
| 100900  |  | =Ord.quantity |
| 100905  |  | 2             |




**Stud with Washer**

|         |             |              |
|---------|-------------|--------------|
| Art.no. | Model       | PCs.         |
| 101030  | Cloth/Cloth | =Ord. Quant. |
| 101035  | Cloth/Cloth | 2            |



**Press Buttons Kits**

|         |                         |
|---------|-------------------------|
| Art.no. | PCs/Package.            |
| 100110  | =Ord. quantity          |
| 100111  | 4-parts kit             |
| 100121  | 10-parts kit incl Tools |



**Stud +Nut with 3/16 WH Thread**

|         |        |               |
|---------|--------|---------------|
| Art.no. | Model  | PCs/Package.  |
| 100910  | Single | =Ord.quantity |
| 100915  | Single | 2             |




**KIT withholding**  
Lifting Cap, Stud Cloth/Cloth with Washer and Locking Key

|         |       |                                                  |
|---------|-------|--------------------------------------------------|
| Art.no. | Model | PCs/                                             |
| 101033  | Sats  | 4 Liftin Cap<br>4 Cloth/Cloth<br>1 Locking key I |



**Oval Eylet & Washer**

|         |               |
|---------|---------------|
| Art.no. | PCs/Package.  |
| 100120  | =Ord.quantity |
| 100125  | 4             |
| 100138  | 100 / Box     |



**Stud with Wood Screw**

|         |        |               |
|---------|--------|---------------|
| Art.no. | Model  | PCs/Package.  |
| 100930  | Single | =Ord.quantity |
| 100935  | Single | 2             |

|                                   |                     |                     |          |          |
|-----------------------------------|---------------------|---------------------|----------|----------|
| <b>Address:</b>                   |                     |                     |          |          |
| Box 80, 618 21 Kolmården, Sweden  | Phone               | Mobile              | Bankgiro | Plusgiro |
| Mail: info@lindalsundetsmarina.se | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 | 657585-6 |



### KIT withholding.Lif- ting Cap+ Stud with Plate

| Art.no.. | Model                 | PCs..          |
|----------|-----------------------|----------------|
| 102013   | 11 mm<br>Low          | 4              |
| 102010   | End.Lift<br>cap 11 mm | Ord.<br>quant. |



Low

### Stud with 3/16 WH Thread & Nut

| Art.nr. | Model | PCs/<br>=Ord. Quant. |
|---------|-------|----------------------|
| 101040  |       | =Ord. Quant.         |
| 101045  |       | 2                    |
| 101050  | Low   | =Ord. Quant          |
| 101055  | Low   | 2                    |



Low

### Stud with Wood Screw

| Art.nr. | Model | PCs./<br>=Ord. Quant |
|---------|-------|----------------------|
| 101060  |       | =Ord. Quant          |
| 101065  |       | 2                    |
| 101070  | Low   | =Ord. Quant          |
| 101075  | Low   | 2                    |



### KIT Lifting Cap+Key

| Art.no. | Model      | PCs..           |
|---------|------------|-----------------|
| 102015  | Cap<br>Key | 2<br>1          |
| 102020  | Key        | =Ord.<br>Quant. |
| 102025  | Key        | 1               |



### Brass Eyelet & Washer

| Art.no. | Diam.                 | PCs..<br>=Ord.<br>Quant. |
|---------|-----------------------|--------------------------|
| 102060  | 9,5mm                 | =Ord.<br>Quant.          |
| 102065  |                       | 10                       |
| 102063  | 1 Punch,<br>1Punchdie | 20                       |



### Rubber-strap, white or black

| Art.no | Length | Colour | PCs/pack<br>Ord.quant |
|--------|--------|--------|-----------------------|
| 112000 | 160mm  | White  | Ord.quant             |
| 112003 | 160mm  | White  | 2 in bag              |
| 112008 | 160mm  | White  | 100 /-box             |
| 112010 | 160mm  | Black  | Ord.quant             |
| 112013 | 160mm  | Black  | 2 in bag              |



### Rubber Rings white

| Art.no. | Dim.     | PCs..<br>=Ord.<br>Quant. |
|---------|----------|--------------------------|
| 102030  | 6,5x50mm | =Ord.<br>Quant.          |
| 102033  | 6,5x50mm | 4                        |



### Rubber Rings black

| Art.no. | Dim.     | PCs..<br>=Ord.<br>Quant. |
|---------|----------|--------------------------|
| 102040  | 6,5x50mm | =Ord.<br>Quant.          |
| 102043  | 6,5x50mm | 4                        |



### Rubber Guys black or White

| Art.no. | Colour | PCs..<br>=Ord.<br>Quant |
|---------|--------|-------------------------|
| 102070  | White  | =Ord.<br>Quant          |
| 102073  | -"-    | 4                       |
| 102050  | Black  | =Ord.<br>Quant.         |
| 102053  | -"-    | 4                       |



### Hood Fitting for pipe 13/18 mm

| Art.no. | Tap  | Base  | Screw Ø |
|---------|------|-------|---------|
| 111801  | 12,5 | 50x40 | M5      |



### Hood Fitting for pipe 13/18mm

| Art.no. | Tap  | Base  | Screw Ø |
|---------|------|-------|---------|
| 111804  | 12,5 | 55x24 | M5      |



### Hood Fitting for pipe 13/18mm

| Art.no. | Tap  | Base  | Screw Ø |
|---------|------|-------|---------|
| 111832  | 12,5 | 30x50 | M4      |



### Side monted Hood fit-ting for pipe 13/18mm

| Art.no. | Tap  | Base  | Screw Ø |
|---------|------|-------|---------|
| 111830  | 12,5 | 30x46 | M4      |



### Hood Fitting for pipe 13/18mm

| Art.no. | Tap  | Base  | Screw Ø |
|---------|------|-------|---------|
| 111802  | 12,5 | 65x22 | M5      |



### Hood Fitting for pipe 13/18

| Art.no. | Tap  | Base  | Screw Ø |
|---------|------|-------|---------|
| 111800  | 12,5 | 50x40 | M5      |

#### Address:

Box 80, 618 21 Kolmården, Sweden

Phone

+46 (0)8 559 27 800

Mobile

+46 (0)70 187 18 20

Bankgiro

127-5122

Plusgiro

657585-6

Mail: info@lindalsundetsmarina.se

## Cable terminals



## Colour code for cable aria

Red isolation = 0,75-1,5 mm<sup>2</sup>Blue isolation = 1,5-2,5 mm<sup>2</sup>

Yellow isolation = 4,0-6,0 mm




**A-sequence**  
 Material: tinplated brass  
 Isolation: Tube of vinyl(PVC)  
 Temp-area: -10<sup>0</sup> C to +75<sup>0</sup> C  
 Long koppertube



## CABLE GRIP Type ring

| Art.no. | PCs blister | Art.no. | PCs blister | Hole ø mm | Col. code |
|---------|-------------|---------|-------------|-----------|-----------|
| 200383  | 10          | 200385  | 5           | 4,3       | Red       |
| 200393  | 10          | 200395  | 5           | 4,3       | Blue      |
| 200413  | 10          | 200415  | 4           | 5,3       | Yellow    |
| 200423  | 10          | 200425  | 5           | 6,5       | Red       |
| 200433  | 10          | 200435  | 4           | 6,5       | Blue      |
| 200453  | 10          | 200455  | 2           | 8,5       | Yellow    |
| 200463  | 10          | 200465  | 4           | 10,5      | Red       |
| 200473  | 10          | 200475  | 2           | 10,5      | Yellow    |



## PIN TERMINAL ISOLATED

Flat pin 6,3 x 0,8 mm

| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 200753  | 10         | 200755  | 5          | Red       |
| 200763  | 10         | 200765  | 5          | Blue      |
| 200773  | 10         | 200775  | 4          | Yellow    |



= HA

## ROUND MALE

| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 200633  | 10         | 200635  | 5          | Red       |
| 200653  | 10         | 200655  | 5          | Blue      |
| 200673  | 10         | 200675  | 4          | Yellow    |



Isolated




Unisolated

## MALE DISCONNECTOR

Flat pin 6,3 x 0,8 mm

| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 200603  | 10         | 200601  | 5          | Red       |
| 200613  | 10         | 200611  | 5          | Blue      |
| 200623  | 10         | 200621  | 3          | Unisol    |



= HO

## ROUND FEMALE

Isolated


| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 200643  | 10         | 200645  | 5          | Red       |
| 200663  | 10         | 200665  | 5          | Blue      |
| 200683  | 10         | 200685  | 4          | Yellow    |



## CABLE GRIP Type fork

U-opening = 5 mm

| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 200483  | 10         | 200485  | 5          | Red       |
| 200493  | 10         | 200495  | 5          | Blue      |
| 200513  | 10         | 200515  | 4          | Yellow    |



Isolated

## KITS of PIN TERMINAL ISOLATED

Flat pin 6,3 x 0,8 mm

| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 203093  | 10+10      | 203095  | 4+4        | Red       |
| 203033  | 10+10      | 203035  | 3+3        | Blue      |
| 203043  | 6+6        | 203045  | 2+2        | Unisol    |



## CABLE GRIP type splice

Material:

| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 200523  | 10         | 200521  | 5          | Red       |
| 200533  | 10         | 200531  | 5          | Blue      |
| 200553  | 10         | 200551  | 4          | Yellow    |



## PIN TERMINAL ISOLATED

Flat pin 6,3 x 0,8 mm

| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 200723  | 10         | 200725  | 5          | Red       |
| 200733  | 10         | 200735  | 5          | Blue      |
| 200743  | 10         | 200745  | 4          | Yellow    |



= HA



= HO

## KITS of MALE and FEMALE ROUND TERMINALS ISOLATED

| Art.no. | Male + Female | Art.no. | Male + Female | Col. code |
|---------|---------------|---------|---------------|-----------|
| 203053  | 10+10         | 203055  | 4+4           | Red       |
| 203063  | 10+10         | 203065  | 4+4           | Blue      |
| 203073  | 5+5           | 203075  | 2+2           | Yellow    |
| 203003  | 5+5           | 203001  | 1+1           | Mix       |



## SHRINK SPLICE -

waterproof

| Art.no. | PCs./ Pack | Colour. code |
|---------|------------|--------------|
| 206011  | 2          | Red          |
| 206021  | 2          | Blue         |
| 206031  | 2          | Yellow       |



## FEMALE DISCONNECTOR 6,3 x 0,8mm

| Art.no. | PCs./ Pack | Art.no. | PCs./ Pack | Col. code |
|---------|------------|---------|------------|-----------|
| 200563  | 10         | 200561  | 5          | Red       |
| 200573  | 10         | 200571  | 5          | Blue      |
| 200593  | 10         | 200591  | 4          | Yellow    |

## Address:

Box 80, 618 21 Kolmården, Sweden

Mail: info@lindalsundetsmarina.se

Phone +46 (0)8 559 27 800

Mobile +46 (0)70 187 18 20

Bankgiro 127-5122

Plusgiro 657585-6



**RING TAG**  
For soldering

| Art.no. | PCs | Art.no. | PCs./Pack | Holeø | Cabel area mm <sup>2</sup> |
|---------|-----|---------|-----------|-------|----------------------------|
| 202063  | 5   | 202065  | 2         | 7,0   | 10                         |
| 200693  | 5   | 200695  | 2         | 7,0   | 16                         |
| 200703  | 5   | 200705  | 2         | 9,0   | 25                         |
| 200713  | 5   | 200715  | 2         | 10,5  | 35                         |
| 202073  | 5   | 202075  | 2         | 11,0  | 50                         |
| 202083  | 5   | 202085  | 2         | 11,0  | 70                         |



**CABLE JOINT**  
with holder for flat fuse

| Art.no. | PCs/Pack |
|---------|----------|
| 206003  | 2        |

## ELECTRIC CABLE

1- and 2-leadare  
Plastic isolated type RKUB  
Cable colour black and red



| Art.no | Length in bag apr. | Length / bobbin m Apr | Cable area mm <sup>2</sup> |
|--------|--------------------|-----------------------|----------------------------|
| 203152 |                    | 50                    | 1x1,5 R                    |
| 203153 | 10m                |                       | 1x1,5 R                    |
| 203162 |                    | 50                    | 1x1,5 S                    |
| 203163 | 10m                |                       | 1x1,5 S                    |
| 203172 |                    | 50                    | 1x2,5 R                    |
| 203173 | 10m                |                       | 1x2,5 R                    |
| 203182 |                    | 50                    | 1x2,5 S                    |
| 203183 | 10m                |                       | 1x2,5 S                    |
| 203192 |                    | 25                    | 1x4,0 R                    |
| 203193 | 5m                 |                       | 1x4,0 R                    |
| 203202 |                    | 25                    | 1x4,0 S                    |
| 203203 | 5m                 |                       | 1x4,0 S                    |
| 203212 |                    | 50                    | 2x1,5 R                    |
| 203213 | 5m                 |                       | 2x1,5 R                    |
| 203222 |                    | 50                    | 2x1,5 S                    |
| 203223 | 5m                 |                       | 2x1,5 S                    |
| 203232 |                    | 50                    | 2x2,5 R                    |
| 203233 | 5m                 |                       | 2x2,5 R                    |
| 203242 |                    | 50                    | 2x2,5 S                    |
| 203243 | 5m                 |                       | 2x2,5 S                    |

## START CABLE RK

Insulated by plastic



| Art.no | Colour | Length Meter | Area mm <sup>2</sup> |
|--------|--------|--------------|----------------------|
| 203320 | Red    | 25           | 1x16                 |
| 203330 | Black  | 25           | 1x16                 |
| 203340 | Red    | 25           | 1x25                 |
| 203350 | Black  | 25           | 1x25                 |
| 203360 | Red    | 25           | 1x35                 |
| 203370 | Black  | 25           | 1x35                 |
| 203380 | Red    | 25           | 1x50                 |
| 203390 | Black  | 25           | 1x50                 |
| 203400 | Red    | 25           | 1x70                 |
| 203410 | Black  | 25           | 1x70                 |

## IGNITION CABLE

Insulated by plastic  
MMKKB 1,5 mm<sup>2</sup> Type C6



| Art.no | Colour | Length Meter | Area mm <sup>2</sup> |
|--------|--------|--------------|----------------------|
| 203420 | Red    | 25 m         | 1,5                  |
| 203430 | Black  | 25 m         | 1,5                  |




## CABLE TIE

Packed in plastic bag with hanger

Type 1 = self locking

Type 2 = self locking-screw montage

| Art.no. | Type | PCs/ | L= mm | W= mm |
|---------|------|------|-------|-------|
| 200841  | 1    | 100  | 140   | 3,6   |
| 200843  | 1    | 10   | 140   | 3,6   |
| 200851  | 1    | 100  | 200   | 4,8   |
| 200853  | 1    | 10   | 200   | 4,8   |
| 200861  | 1    | 100  | 360   | 4,8   |
| 200863  | 1    | 10   | 360   | 4,8   |
| 200871  | 1    | 100  | 92    | 2,4   |
| 200873  | 1    | 10   | 92    | 2,4   |
| 200881  | 2    | 100  | 150   | 3,5   |
| 200883  | 2    | 4    | 150   | 3,5   |
| 200891  | 2    | 100  | 200   | 4,6   |
| 200893  | 2    | 4    | 200   | 4,6   |
| 200901  | 2    | 100  | 350   | 4,7   |
| 200903  | 2    | 4    | 350   | 4,7   |



## SPADE CONNECTOR

1 IN – 2 OUT Insulated

| Art.no | PCs./Pack |
|--------|-----------|
| 200781 | 1         |



## SPADE CONNECTOR BLOCK

12 flat pins 6,3 x 0,8 mm

| Art.no. | Flat pins | Flatpins |
|---------|-----------|----------|
| 200793  | 12        | 6,3x0,8  |



## CONNECTOR BLOCK

Screw connecting

| Art.no. | PCs connections | Delivery unit | Cable area mm <sup>2</sup> |
|---------|-----------------|---------------|----------------------------|
| 200803  | 12              | 1 PCs         | 1,5                        |
| 200813  | 12              | 1 PCs         | 2,5                        |
| 200823  | 12              | 1 PCs         | 6,0                        |



## GROUND TERMINAL

| Art.no. | Connections | Diam. |
|---------|-------------|-------|
| 160145  | 8           | 25 mm |



## DUAL PLUG

with 8 Amp fuse..

| Art.no. | Unit  |
|---------|-------|
| 200313  | 1 PCs |



## CABLE FUSE HOLDER

Incl. 8A fuse. Screw connection.

| Art.no. in bag | Unit   |
|----------------|--------|
| 200911         | 1 PCs. |



## WATERPROOF FUSE HOLDER

For mini fuses up to 30 amp

| Art.no. | PCs /P |
|---------|--------|
| 206053  | 1      |

### Address:

Box 80, 618 21 Kolmården, Sweden

Mail: info@lindalsundetsmarina.se

Phone  
+46 (0)8 559 27 800

Mobile  
+46 (0)70 187 18 20

Bankgiro  
127-5122

Plusgiro  
657585-6




**IGNITION LOCK**  
with start

| Art.no. | Mounting hole |
|---------|---------------|
| 160150  | 18mm          |



**MAIN SWITCH**  
with key waterproof with packing ring. 2-pole max 500 amp.

| Art.no. |           | Unit |
|---------|-----------|------|
| 200300  | Complete  | 1    |
| 200330  | Extra key | 1    |




**OVER- and UNDER MOUNT. MAIN SWITCH**  
with 2 keys  
Waterprotected.  
250 / 350 amp.

| Art.no. |          | Unit |
|---------|----------|------|
| 202180  | Complete | 1    |



**FUSE BOX** for Flat fuses

| Art.no. | For number of fuses | PCs / P. |
|---------|---------------------|----------|
| 206043  | 4                   | 1        |



**FLAT FUSE HOLDER**

| Art.no.. | For fuses | PCs / |
|----------|-----------|-------|
| 202093   | 1         | 1     |



**CIGARETTE-LIGHTER and CHART LAMP**  
Made of S. Steel. In the lighters handle it is a lamp, suitable as chart lamp.

| Art.no. | Diameter | Deep  |
|---------|----------|-------|
| 160130  | 24 mm    | 55 mm |



**"LITTLE FUSES" GLASS**  
5 x 20 mm  
Repacked

| Art.no | PCs./ P | Length in mm | mA    |
|--------|---------|--------------|-------|
| 202015 | 5       | 20           | 200mA |
| 202045 | 5       | 20           | 250mA |
| 202025 | 5       | 20           | 400mA |
| 202055 | 5       | 20           | 500mA |
| 202035 | 5       | 20           | 800mA |




**GLASS FUSES**  
5 x 20 mm  
Repacked

| Art.no | PCs./ P | Length in mm | Amp |
|--------|---------|--------------|-----|
| 201165 | 5       | 20           | 1   |
| 200965 | 5       | 20           | 2   |
| 201195 | 5       | 20           | 3   |
| 201025 | 5       | 20           | 4   |
| 201155 | 5       | 20           | 6   |
| 201035 | 5       | 20           | 10  |



**GLASS FUSES**  
6,3 X 32 mm

| Art.no | PCs./ P | Length in mm | Amp |
|--------|---------|--------------|-----|
| 201185 | 5       | 32           | 2   |
| 200975 | 5       | 32           | 5   |
| 200985 | 5       | 32           | 10  |
| 200995 | 5       | 32           | 15  |
| 201005 | 5       | 32           | 20  |
| 201175 | 5       | 32           | 25  |
| 201015 | 5       | 32           | 35  |



**FLAT FUSES**  
Pre-Packed

| Art.no | Pcs/P | Colour code | Amp |
|--------|-------|-------------|-----|
| 201201 | 4     | Black       | 1   |
| 201211 | 4     | Grey        | 2   |
| 201221 | 4     | Violet      | 3   |
| 201231 | 4     | Rose        | 4   |
| 201041 | 6     | Orange      | 5   |
| 201051 | 6     | Brown       | 7,5 |
| 201061 | 6     | Red         | 10  |
| 201071 | 6     | Blue        | 15  |
| 201241 | 4     | Yellow      | 20  |
| 201251 | 4     | White       | 25  |
| 201261 | 6     | Green       | 30  |
| 201271 | 6     | Orange      | 40  |



**FUSES BOSCH-TYPE**  
Supplied in 100 pack


| Art.no. | Co-lour code | Amp |
|---------|--------------|-----|
| 200920  | Yellow       | 5   |
| 200930  | White        | 8   |
| 200940  | Red          | 16  |
| 200950  | Blue         | 25  |

**FUSES BOSCH** as a kit

| Art.no.             | Includes                                                |
|---------------------|---------------------------------------------------------|
| 203015              | 3 pcs. 5 A,<br>6 pcs. 8 A,<br>1 pcs 16 A,<br>1 pcs 25 A |
| Total number 11 PCs |                                                         |




|                                   |  |                     |                     |          |
|-----------------------------------|--|---------------------|---------------------|----------|
| Address:                          |  |                     |                     |          |
| Box 80, 618 21 Kolmården, Sweden  |  | Phone               | Mobile              | Bankgiro |
| Mail: info@lindalsundetsmarina.se |  | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122 |
|                                   |  |                     |                     | Plusgiro |
|                                   |  |                     |                     | 657585-6 |



**SM-Hight Intensity  
Navigations lamps.  
Pre-Packed**

| Art.no. | PCs/<br>P | Lamp<br>socket | Cd | Max<br>Watt |
|---------|-----------|----------------|----|-------------|
| 203104  | 1         | Bay<br>15d     | 12 | 18          |
| 203114  | 1         |                | 18 | 25          |
| 203124  | 1         |                | 18 | 25          |
| 203144  | 1         |                | 30 | 25          |



**SM-Hight Intensity  
Navigations lamps.  
Pre-Packed**

| Art.no. | PCs/P | Lamp<br>socket | V  | Cd | Max<br>Watt |
|---------|-------|----------------|----|----|-------------|
| 203254  | 1     | Ba15d          | 12 | 12 | 18          |
| 203264  | 1     |                | 24 | 18 | 25          |
| 203274  | 1     |                | 12 | 30 | 25          |



**SM-Hight Intensity  
Navigations lamps.  
Cartong packed**

| Art.no. | PCs/<br>P | Lamp<br>socket | V  | Candel<br>a |
|---------|-----------|----------------|----|-------------|
| 203280  | 1         | B22d           | 24 | 35          |
| 203290  | 1         |                | 24 | 50          |



**Festoon lamp Pre-Packed**

| Art.no. | PCs/<br>P | Lamp<br>socket | V  | W  | ØxL   |
|---------|-----------|----------------|----|----|-------|
| 200121  | 3         | S 8,5          | 12 | 5  | 11x44 |
| 200131  | 3         |                | 12 | 10 | 11x44 |
| 200141  | 3         |                | 12 | 15 | 14x44 |
| 200191  | 3         |                | 12 | 10 | 10x30 |
| 204171  | 3         |                | 12 | 5  | 11x38 |
| 204181  | 3         |                | 24 | 10 | 11x43 |




**Festoon lamp (special aqua  
signal) Pre-Packed.**

| Art.no. | PCs | Socket | V  | W  | ØxL   |
|---------|-----|--------|----|----|-------|
| 204051  | 1   | Spec   | 12 | 10 | 15x41 |



**2- pole bulbs  
Pre-Packed.**


| Art.no. | PCs<br>/P | Lamp socket   | V  | W  |
|---------|-----------|---------------|----|----|
| 200161  | 1         | Ba15d         | 12 | 10 |
| 200162  | 2         | Ba15d         | 12 | 10 |
| 204041  | 1         | Bay15d        | 12 | 10 |
| 204042  | 2         | Bay15d        | 12 | 10 |
| 204091  | 1         | Ba15d         | 12 | 5  |
| 204121  | 1         | Ba15d halogen | 12 | 10 |
| 205011  | 1         | Ba15d         | 12 | 15 |



**1- pole bulbs  
Pre-Packed.**


Dimension Ba15s: 35x18,5  
Dimension Ba15s : 30x15,5

| Art.no. | PCs<br>/P | Lamp socket   | V  | W  |
|---------|-----------|---------------|----|----|
| 204011  | 1         | Ba15s         | 12 | 5  |
| 204021  | 1         | Ba15s         | 12 | 10 |
| 204071  | 1         | Ba15s 18x35   | 24 | 10 |
| 204081  | 1         | Ba15s halogen | 12 | 10 |
| 204135  | 2         | Ba9s          | 12 | 4  |
| 204155  | 2         | Ba9s 8,5x28   | 24 | 4  |
| 205111  | 1         | Ba9s 8,5x28   | 12 | 6  |



**Life buoy lamp  
Pre-Packed**

| Art.no. | PCs<br>/P | Lamp<br>socket | V | MA  | ØxL   |
|---------|-----------|----------------|---|-----|-------|
| 203131  | 2         | E 10           | 6 | 830 | 15x29 |



**Instrument bulbs  
Pre-Packed**

| Art.no. | PCs/<br>P | Lamp socket | V  | W   |
|---------|-----------|-------------|----|-----|
| 201115  | 2         | Ba7s 7x20   | 12 | 2   |
| 201125  | 2         | Ba9s 10x32  | 12 | 2   |
| 205125  | 2         | T5 10x20    | 12 | 2   |
| 205135  | 2         | T5 5x20     | 24 | 1,2 |
| 205145  | 2         | T10 10x20   | 12 | 3   |
| 205155  | 2         | T10 10x20   | 24 | 3   |



**Halogen bulbs G4**

| Art.no. | PCs | Lamp socket | V  | W  |
|---------|-----|-------------|----|----|
| 204165  | 1   | G4          | 24 | 10 |
| 205041  | 1   | G4          | 12 | 5  |
| 205051  | 1   | G4          | 12 | 10 |
| 205061  | 1   | G4          | 12 | 20 |




**Halogen bulbs**

| Art.no. | PCs<br>/P | Lamp socket | V  | W  |
|---------|-----------|-------------|----|----|
| 205071  | 1         | Ba15s       | 12 | 5  |
| 205081  | 1         | Ba15s       | 12 | 10 |
| 205091  | 1         | Ba9s 9x33   | 12 | 5  |
| 205101  | 1         | H3s 42x11,5 | 12 | 55 |


|                                   |                     |                     |                 |                 |
|-----------------------------------|---------------------|---------------------|-----------------|-----------------|
| <b>Address:</b>                   |                     |                     |                 |                 |
| Box 80, 618 21 Kolmården, Sweden  | <b>Phone</b>        | <b>Mobile</b>       | <b>Bankgiro</b> | <b>Plusgiro</b> |
| Mail: info@lindalsundetsmarina.se | +46 (0)8 559 27 800 | +46 (0)70 187 18 20 | 127-5122        | 657585-6        |

# The Rope-Clip™

Page 20



**A NEW patented  
product from  
Teknikutveckling  
Enek Hb  
SWEDEN**



The Rope- Clip is a remarkably simple product for making quick mechanical splices without any previous experience. These results can be altered quickly to suit requirement. It works with braided or standard ropes. A simple eye splice or one using a thimble are now immediately possible, also long splices are now easily variable.

## How to Installation The Rope-Clip™ for 12- 14 mm rope **OBS! ONLY EXPORT!**



**1.**  
Thread the  
rope into  
the clip  
shown by  
arrows  
leaving  
22cm free.

Carefully  
check the  
tension  
around the  
thimble.

**4**



**Art.no. 12 mm 296051**



**2**  
Press the  
rope into  
the spikes

Close the  
Rope-Clip  
with  
adjustable  
gripper or  
similar tool  
until locked

**5**



**Art.no. 14 mm 296052**




**3**  
Thread the  
rope end  
back into the  
clip. Insert  
the thimble  
as shown  
and draw  
tightly.

Check  
with a light  
pressure to  
ensure  
securely  
locked.


**6**




|                                                                                    |                     |                    |                 |                 |
|------------------------------------------------------------------------------------|---------------------|--------------------|-----------------|-----------------|
| <b>Address:</b>                                                                    |                     |                    |                 |                 |
| Box 80, 618 21 Kolmården, Sweden                                                   | <b>Phone</b>        | <b>Mobile</b>      | <b>Bankgiro</b> | <b>Plusgiro</b> |
| Mail: <a href="mailto:info@lindalsundetsmarina.se">info@lindalsundetsmarina.se</a> | +46 (0)8 559 27 800 | +46(0)70 187 18 20 | 127-5122        | 657585-6        |

**Hexagon nut  
DIN 934**


| Art.nr | Dimension |
|--------|-----------|
| 320010 | M3        |
| 320020 | M4        |
| 320030 | M5        |
| 320040 | M6        |
| 320050 | M8        |
| 320060 | M10       |
| 320070 | M12       |
| 320080 | M14       |
| 320090 | M16       |

**Self locking  
hexagon nut  
DIN 985**


| Art.nr | Dimension |
|--------|-----------|
| 321010 | M3        |
| 321020 | M4        |
| 321030 | M5        |
| 321040 | M6        |
| 321050 | M8        |
| 321060 | M10       |
| 321070 | M12       |
| 321080 | M16       |
| 321090 | M20       |

**Hexagon domed  
capnut DIN 1587**


| Art.nr | Dimension |
|--------|-----------|
| 322010 | M3        |
| 322020 | M4        |
| 322030 | M5        |
| 322040 | M6        |
| 322050 | M8        |
| 322060 | M10       |
| 322070 | M12       |

**Wing nut, cold  
pressed  
DIN 315**


| Art.nr | Dimension |
|--------|-----------|
| 323000 | M3        |
| 323010 | M4        |
| 323020 | M5        |
| 323030 | M6        |
| 323040 | M8        |
| 323050 | M10       |
| 323060 | M12       |

**Washer  
DIN 125**

| Art.nr | Dimension |
|--------|-----------|
| 330010 | M3        |
| 330020 | M4        |
| 330030 | M5        |
| 330040 | M6        |
| 330050 | M8        |
| 330060 | M10       |
| 330070 | M12       |

**Spring Washer  
DIN 127**


| Art.nr | Dimension |
|--------|-----------|
| 331010 | M3        |
| 331020 | M4        |
| 331030 | M5        |
| 331040 | M6        |
| 331050 | M8        |
| 331060 | M10       |
| 331070 | M12       |

**Washer big  
outer-diameter  
DIN 9021**


| Art.nr | Dimension |
|--------|-----------|
| 332010 | M4        |
| 332020 | M5        |
| 332030 | M6        |
| 332040 | M8        |
| 332050 | M10       |
| 332060 | M12       |

**Cup washer nic-  
kelplated brass**

| Art. nr | d   | D    |
|---------|-----|------|
| 339010  | 3,9 | 9,6  |
| 339020  | 4,1 | 11,0 |
| 339030  | 5,9 | 14,3 |
| 339040  | 6,9 | 15,2 |
| 339050  | 8,1 | 16,7 |
| 339060  | 5,0 | 13,0 |

**Self tapping coun-  
tersunk (flat) head  
screw with cross  
DIN 7982 A4**


| Art.nr | Dimension |
|--------|-----------|
| 314010 | 2,9x13    |
| 314020 | 2,9x16    |
| 314030 | 2,9x19    |
| 314040 | 2,9x25    |
| 314050 | 3,5x9,5   |
| 314080 | 3,5x13    |
| 314090 | 3,5x16    |
| 314200 | 3,5x19    |
| 314210 | 3,5x25    |
| 314220 | 3,5x32    |
| 314100 | 3,5x38    |
| 314150 | 4,2x13    |
| 314160 | 4,2x16    |
| 314170 | 4,2x19    |
| 314180 | 4,2x25    |
| 314190 | 4,2x32    |
| 314110 | 4,2x38    |
| 314120 | 4,2x50    |
| 314230 | 4,8x16    |
| 314240 | 4,8x19    |
| 314250 | 4,8x25    |
| 314260 | 4,8x32    |
| 314270 | 4,8x38    |
| 314280 | 4,8x50    |
| 314290 | 5,5x16    |
| 314300 | 5,5x19    |
| 314310 | 5,5x25    |

**Self tapping coun-  
tersunk (flat) head  
screw with cross  
DIN 7981 A4**


| Art.nr | Dimension |
|--------|-----------|
| 311010 | 2,9x6,5   |
| 311020 | 2,9x9,5   |
| 311030 | 2,9x13    |
| 311040 | 2,9x16    |
| 311050 | 2,9x19    |
| 311100 | 3,5x6,5   |
| 311110 | 3,5x9,5   |
| 311120 | 3,5x13    |
| 311130 | 3,5x16    |
| 311140 | 3,5x19    |
| 311150 | 3,5x25    |
| 311160 | 3,5x32    |
| 311170 | 3,5x38    |
| 311200 | 4,2x9,5   |
| 311210 | 4,2x13    |
| 311220 | 4,2x16    |
| 311230 | 4,2x19    |
| 311240 | 4,2x25    |
| 311250 | 4,2x32    |
| 311260 | 4,2x38    |
| 311290 | 4,8x9,5   |
| 311300 | 4,8x13    |
| 311310 | 4,8x16    |
| 311320 | 4,8x19    |
| 311330 | 4,8x25    |

**Continuation DIN 7981**


| Art.nr | Dimension |
|--------|-----------|
| 311340 | 4,8x32    |
| 311350 | 4,8x38    |
| 311360 | 4,8x50    |
| 311410 | 5,5x19    |
| 311420 | 5,5x25    |
| 311430 | 5,5x32    |
| 311440 | 5,5x38    |
| 311450 | 5,5x50    |
| 311490 | 6,3x16    |
| 311500 | 6,3x19    |
| 311510 | 6,3x25    |
| 311520 | 6,3x32    |
| 311530 | 6,3x38    |
| 311540 | 6,3x50    |

**Self tapping raised  
countersunk (oval)  
head screw with  
cross  
DIN7983 A4**


| Art.nr | Dimension |
|--------|-----------|
| 313010 | 2,9x9,5   |
| 313020 | 2,9x13    |
| 313030 | 2,9x16    |
| 313040 | 2,9x19    |
| 313050 | 2,9x25    |
| 313100 | 3,5x9,5   |
| 313110 | 3,5x13    |
| 313120 | 3,5x16    |
| 313130 | 3,5x19    |
| 313140 | 3,5x25    |
| 313150 | 3,5x32    |
| 313160 | 3,5x38    |
| 313190 | 4,2x9,5   |
| 313200 | 4,2x13    |
| 313210 | 4,2x16    |
| 313220 | 4,2x19    |
| 313230 | 4,2x25    |
| 313240 | 4,2x32    |
| 313250 | 4,2x38    |
| 313290 | 4,8x13    |
| 313300 | 4,8x16    |
| 313310 | 4,8x19    |
| 313320 | 4,8x25    |
| 313330 | 4,8x32    |
| 313340 | 4,8x38    |
| 313360 | 4,8x50    |
| 313390 | 5,5x16    |
| 313400 | 5,5x19    |
| 313410 | 5,5x25    |
| 313420 | 5,5x32    |
| 313430 | 5,5x38    |
| 313450 | 5,5x50    |
| 313480 | 5,5x80    |
| 313490 | 6,3x19    |
| 313500 | 6,3x25    |
| 313510 | 6,3x32    |
| 313520 | 6,3x38    |
| 313530 | 6,3x50    |

**Wood screw countersunk (flat) head  
DIN 97 A4**


| Art.no. | Dimension |
|---------|-----------|
| 360210  | 4x25      |
| 360220  | 4x30      |
| 360230  | 4x35      |
| 360239  | 4x50      |
| 360240  | 5x25      |
| 360250  | 5x30      |
| 360260  | 5x35      |
| 360270  | 5x40      |
| 360280  | 5x45      |
| 360290  | 5x50      |
| 360330  | 5x60      |
| 360340  | 5x70      |
| 360300  | 6x40      |
| 360310  | 6x50      |
| 360320  | 6x60      |
| 360350  | 6x70      |
| 360360  | 6x80      |
| 360370  | 8x80      |

**Wood screw raised (oval) head  
DIN 96 A4**



| Art.no. | Dimension |
|---------|-----------|
| 360010  | 4x16      |
| 360020  | 4x20      |
| 360030  | 4x25      |
| 360040  | 4x30      |
| 360050  | 5x30      |
| 360060  | 5x35      |
| 360070  | 5x40      |
| 360080  | 5x45      |
| 360090  | 5x50      |
| 360100  | 6x40      |
| 360110  | 6x50      |
| 360120  | 6x60      |

**Cup square neck bolt incl. hexagon  
DIN 603 A4**



| Art.no. | Dimension |
|---------|-----------|
| 309010  | 6x25      |
| 309020  | 6x30      |
| 309030  | 6x35      |
| 309040  | 6x40      |
| 309050  | 6x50      |
| 309060  | 6x60      |
| 309070  | 6x70      |
| 309080  | 6x120     |
| 309100  | 8x25      |
| 309110  | 8x30      |
| 309120  | 8x35      |
| 309130  | 8x40      |
| 309140  | 8x50      |
| 309150  | 8x60      |
| 309160  | 8x70      |

**Continuation DIN 603**


| Art.no. | Dimension |
|---------|-----------|
| 309170  | 8x80      |
| 309180  | 8x100     |
| 309190  | 10x25     |
| 309200  | 10x30     |
| 309210  | 10x35     |
| 309220  | 10x40     |
| 309230  | 10x50     |
| 309240  | 10x60     |
| 309250  | 10x70     |
| 309260  | 10x80     |
| 309270  | 10x100    |
| 309280  | 10x120    |

**Raised coner-sunk (oval) head screw  
DIN 964 A4**


| Art.no. | Dimension |
|---------|-----------|
| 302010  | 3x8       |
| 302020  | 3x10      |
| 302030  | 3x12      |
| 302040  | 3x16      |
| 302050  | 3x20      |
| 302060  | 3x25      |
| 302070  | 4x8       |
| 302080  | 4x10      |
| 302090  | 4x12      |
| 302100  | 4x16      |
| 302110  | 4x20      |
| 302120  | 4x25      |
| 302130  | 4x30      |
| 302150  | 4x40      |
| 302160  | 4x50      |
| 302170  | 5x10      |
| 302180  | 5x12      |
| 302190  | 5x16      |
| 302200  | 5x20      |
| 302210  | 5x25      |
| 302220  | 5x30      |
| 302230  | 5x35      |
| 302240  | 5x40      |
| 302250  | 5x50      |
| 302260  | 6x12      |
| 302270  | 6x16      |
| 302280  | 6x20      |
| 302290  | 6x25      |
| 302300  | 6x30      |
| 302310  | 6x35      |
| 302320  | 6x40      |
| 302330  | 6x50      |
| 302340  | 6x60      |
| 302350  | 6x70      |
| 302360  | 6x80      |
| 302370  | 6x100     |
| 302380  | 8x16      |
| 302390  | 8x20      |
| 302400  | 8x25      |
| 302410  | 8x30      |
| 302420  | 8x35      |
| 302430  | 8x40      |
| 302440  | 8x50      |
| 302450  | 8x60      |
| 302460  | 8x70      |
| 302470  | 8x80      |
| 302480  | 8x100     |
| 302540  | 10x50     |


**Cheese head screw  
DIN 84 A4**


| Art.no. | Dimension |
|---------|-----------|
| 304010  | 3x6       |
| 304020  | 3x8       |
| 304030  | 3x10      |
| 304040  | 3x12      |
| 304050  | 3x16      |
| 304060  | 3x20      |
| 304070  | 3x25      |
| 304080  | 3x30      |
| 304090  | 3x40      |
| 304100  | 4x6       |
| 304110  | 4x8       |
| 304120  | 4x10      |
| 304130  | 4x12      |
| 304140  | 4x16      |
| 304150  | 4x20      |
| 304160  | 4x25      |
| 304170  | 4x30      |
| 304180  | 4x35      |
| 304190  | 4x40      |
| 304196  | 4x45      |
| 304200  | 5x6       |
| 304210  | 5x8       |
| 304220  | 5x10      |
| 304230  | 5x12      |
| 304240  | 5x16      |
| 304250  | 5x20      |
| 304260  | 5x25      |
| 304270  | 5x30      |
| 304280  | 5x35      |
| 304290  | 5x40      |
| 304300  | 5x50      |
| 304610  | 5x80      |
| 304620  | 5x100     |
| 304310  | 6x10      |
| 304320  | 6x12      |
| 304330  | 6x16      |
| 304340  | 6x20      |
| 304350  | 6x25      |
| 304360  | 6x30      |
| 304370  | 6x35      |
| 304380  | 6x40      |
| 304390  | 6x50      |
| 304400  | 6x60      |
| 304410  | 6x80      |
| 304420  | 8x12      |
| 304430  | 8x16      |
| 304440  | 8x20      |
| 304450  | 8x25      |
| 304460  | 8x30      |
| 304470  | 8x35      |
| 304480  | 8x40      |
| 304490  | 8x50      |
| 304500  | 8x60      |
| 304510  | 8x80      |
| 304520  | 8x70      |
| 304530  | 10x25     |
| 304540  | 10x30     |
| 304550  | 10x35     |
| 304560  | 10x40     |
| 304570  | 10x50     |
| 304580  | 4x80      |

**Countersunk (flat) head screw  
DIN 963 A4**


| Art.no. | Dimension |
|---------|-----------|
| 303020  | 3x8       |
| 303030  | 3x10      |
| 303040  | 3x12      |
| 303050  | 3x16      |
| 303060  | 3x20      |
| 303070  | 3x25      |
| 303000  | 3x30      |
| 303090  | 4x8       |
| 303100  | 4x10      |
| 303110  | 4x12      |
| 303120  | 4x16      |
| 303130  | 4x20      |
| 303140  | 4x25      |
| 303150  | 4x30      |
| 303160  | 4x35      |
| 303170  | 4x40      |
| 303630  | 4x50      |
| 303180  | 5x8       |
| 303190  | 5x10      |
| 303200  | 5x12      |
| 303210  | 5x16      |
| 303220  | 5x20      |
| 303230  | 5x25      |
| 303240  | 5x30      |
| 303250  | 5x35      |
| 303260  | 5x40      |
| 303270  | 5x50      |
| 303280  | 5x60      |
| 303290  | 5x70      |
| 303300  | 5x80      |
| 303670  | 5x100     |
| 303320  | 6x12      |
| 303330  | 6x16      |
| 303340  | 6x20      |
| 303350  | 6x25      |
| 303360  | 6x30      |
| 303370  | 6x35      |
| 303380  | 6x40      |
| 303390  | 6x50      |
| 303400  | 6x60      |
| 303420  | 6x80      |
| 303440  | 6x100     |
| 303460  | 8x16      |
| 303470  | 8x20      |
| 303480  | 8x25      |
| 303490  | 8x30      |
| 303510  | 8x40      |
| 303520  | 8x50      |
| 303550  | 8x80      |
| 303560  | 8x100     |
| 303590  | 10x30     |

### Hexagon head screw DIN 933 =L<=70 mm DIN 931 =L>70 mm




| Art.no. | Dimension |
|---------|-----------|
| 300060  | 4x25      |
| 300100  | 5x8       |
| 300110  | 5x10      |
| 300120  | 5x12      |
| 300130  | 5x16      |
| 300140  | 5x20      |
| 300150  | 5x25      |
| 300160  | 5x30      |
| 300170  | 5x35      |
| 300180  | 5x40      |
| 300190  | 5x45      |
| 300200  | 5x50      |
| 300210  | 5x60      |
| 300220  | 5x80      |
| 300230  | 6x10      |
| 300240  | 6x12      |
| 300250  | 6x16      |
| 300260  | 6x20      |
| 300270  | 6x25      |
| 300280  | 6x30      |
| 300290  | 6x35      |
| 300300  | 6x40      |
| 300310  | 6x45      |
| 300320  | 6x50      |
| 300330  | 6x55      |
| 300340  | 6x60      |
| 300350  | 6x65      |
| 300360  | 6x70      |
| 300370  | 6x80      |
| 300380  | 6x100     |
| 300390  | 8x10      |
| 300400  | 8x12      |
| 300410  | 8x16      |
| 300420  | 8x20      |
| 300430  | 8x25      |
| 300440  | 8x30      |
| 300450  | 8x35      |
| 300460  | 8x40      |
| 300470  | 8x45      |
| 300480  | 8x50      |
| 300490  | 8x55      |
| 300500  | 8x60      |
| 300510  | 8x65      |
| 300520  | 8x70      |
| 300530  | 8x75      |
| 300540  | 8x80      |
| 300550  | 8x90      |
| 300560  | 8x100     |
| 300580  | 8x120     |
| 300590  | 10x16     |
| 300600  | 10x20     |
| 300610  | 10x25     |
| 300620  | 10x30     |
| 300630  | 10x35     |
| 300640  | 10x40     |
| 300650  | 10x45     |
| 300660  | 10x50     |
| 300670  | 10x55     |
| 300680  | 10x60     |
| 300690  | 10x65     |
| 300700  | 10x70     |
| 300710  | 10x75     |

### Continuation 931&933


| Art.no. | Dimension |
|---------|-----------|
| 300720  | 10x80     |
| 300730  | 10x90     |
| 300740  | 10x100    |
| 300750  | 10x110    |
| 300760  | 10x120    |
| 300780  | 12x20     |
| 300790  | 12x25     |
| 300800  | 12x30     |
| 300810  | 12x35     |
| 300820  | 12x40     |
| 300830  | 12x45     |
| 300840  | 12x50     |
| 300850  | 12x55     |
| 300860  | 12x60     |
| 300870  | 12x65     |
| 300880  | 12x70     |
| 300890  | 12x75     |
| 300900  | 12x80     |
| 300910  | 12x90     |
| 300920  | 12x100    |
| 300930  | 12x110    |
| 300940  | 12x120    |
| 300950  | 12x130    |
| 300960  | 12x140    |
| 300970  | 12x150    |

### MKFX Z Counter-sunk (oval) head screw with cross DIN 966 A4




| Art.no. | Dimension |
|---------|-----------|
| 307010  | 4x16      |
| 307020  | 4x20      |
| 307030  | 5x16      |
| 307040  | 5x30      |
| 307050  | 6x25      |
| 307060  | 6x40      |

### MRX Z Counter-sunk (oval) head screw with cross DIN 7985 A4




| Art.no. | Dimension |
|---------|-----------|
| 306170  | 4x30      |
| 306250  | 5x20      |
| 306270  | 5x30      |
| 306300  | 5x50      |
| 306350  | 6x25      |
| 306380  | 6x40      |
| 306400  | 6x60      |

### RING PIN A2




| Art.no. | Dimension Ø |
|---------|-------------|
| 352010  | 1,25x15     |
| 352020  | 1,50x19     |
| 352030  | 2,00x23     |

### Split cotter pin A4 DIN 94




| Art.no. | Dimension |
|---------|-----------|
| 350010  | 1,0x14    |
| 350020  | 1,0x20    |
| 350030  | 1,0x25    |
| 350090  | 1,6x14    |
| 350100  | 1,6x20    |
| 350110  | 1,6x25    |
| 350120  | 1,6x28    |
| 350170  | 2,0x14    |
| 350180  | 2,0x20    |
| 350190  | 2,0x25    |
| 350200  | 2,0x28    |
| 350210  | 2,0x36    |
| 350220  | 2,0x40    |
| 350000  | 2,5x12    |
| 350250  | 2,5x14    |
| 350500  | 2,5x16    |
| 350260  | 2,5x20    |
| 350270  | 2,5x25    |
| 350280  | 2,5x28    |
| 350290  | 2,5x36    |
| 350300  | 2,5x40    |
| 350310  | 2,5x45    |
| 350320  | 2,5x50    |
| 350330  | 3,2x16    |
| 350340  | 3,2x20    |
| 350350  | 3,2x25    |
| 350360  | 3,2x28    |
| 350370  | 3,2x36    |
| 350380  | 3,2x40    |
| 350390  | 3,2x45    |
| 350400  | 3,2x50    |
| 350420  | 4,0x20    |
| 350430  | 4,0x25    |
| 350440  | 4,0x28    |
| 350460  | 4,0x40    |
| 350480  | 4,0x50    |
| 350500  | 2,5x16    |
| 350510  | 5,5x50    |

### Hair pin spring A4




| Art.no. | Ø x L   |
|---------|---------|
| 353000  | 2,0x41  |
| 353010  | 3,0x67  |
| 353020  | 3,5x75  |
| 353030  | 4,0x75  |
| 353040  | 5,0x105 |
| 353050  | 6,0x117 |

### THREADED ROD LENGTH 1000 mm DIN 975 A4



| Art.nr | Dimension |
|--------|-----------|
| 305010 | M 3       |
| 305020 | M 4       |
| 305030 | M 5       |
| 305040 | M 6       |
| 305050 | M 8       |
| 305060 | M 10      |
| 305070 | M 12      |

### Hexagon head wood screw DIN 571



| Art.no. | Dimension |
|---------|-----------|
| 315010  | 6x30      |
| 315020  | 6x40      |
| 315030  | 6x50      |
| 315050  | 6x70      |
| 315070  | 6x100     |
| 315100  | 8x40      |
| 315110  | 8x40      |
| 315120  | 8x60      |
| 315130  | 8x70      |
| 315150  | 8x100     |
| 315160  | 8x120     |
| 315190  | 10x50     |
| 315200  | 10x60     |
| 315210  | 10x70     |
| 315220  | 10x80     |
| 315230  | 10x100    |
| 315240  | 10x120    |
| 315250  | 8x80      |


### HOSE CLAMPS

#### HOSE CLAMP MINI ABA 2



| Art.nr. | Spännområde |
|---------|-------------|
| 910200  | 8,0-10,3    |
| 910210  | 10,0-12,3   |
| 910220  | 12,4-14,3   |
| 910320  | 15,0-17,3   |
| 910330  | 11,0-13,3   |


#### Hose Clamp ASI 316



| Art.nr | Spännområde |
|--------|-------------|
| 910190 | 8-16        |
| 910020 | 12-22       |
| 910030 | 16-27       |
| 910050 | 23-35       |
| 910070 | 30-45       |
| 910080 | 32-50       |
| 910090 | 40-60       |
| 910100 | 50-70       |
| 910120 | 60-80       |
| 910130 | 70-90       |
| 910140 | 80-100      |
| 910150 | 90-110      |
| 910160 | 110-130     |
| 910170 | 140-160     |


**BLINDRIVITS**

**Blind rivit nut  
TT aluminium.  
Open flat heade**




| Art.no. | Dim. d x L |
|---------|------------|
| 580500  | 4x11,0     |
| 580510  | 5x13,0     |
| 580520  | 6x14,0     |
| 580530  | 8x17,5     |
| 580540  | 10x19,0    |

**Standard rivit  
SS2343  
Convex head,  
mandrel A4**




| Art.no. | Ø x L    |
|---------|----------|
| 580200  | 3,2x7,0  |
| 580210  | 3,8x11,0 |
| 580650  | 3,2-16,0 |
| 580690  | 4,0-16,0 |
| 580740  | 4,8-20,0 |
| 580750  | 4,8-20,0 |

**Standard rivit  
Alum.  
Convex head,  
mandrel steel**



| Art.no. | Dim. Ø x L |
|---------|------------|
| 580000  | 3,0x15,0   |
| 580010  | 3,2x8,0    |
| 580020  | 4,0x14     |
| 580030  | 4,8x24     |
| 580040  | 6,4x19,5   |
| 580050  | 3,2x14,0   |
| 580060  | 6,4x15,5   |
| 580070  | 4,0x8,0    |
| 580080  | 4,0x10,0   |
| 580270  | TP 4x7     |
| 580820  | 4,0x15,5   |
| 580830  | 4,8x19,0   |
| 580850  | 4,8x25,0   |
| 580860  | 4,8x30,0   |
| 580870  | 4,8x40,0   |
| 580900  | 6,4x26,0   |
| 580910  | 6,4x31,5   |

**Standard rivit  
Nickel  
And Copper  
(monel) Convex  
head, mandrel  
A4**




| Art.no. | Dim. d x L |
|---------|------------|
| 580400  | 3,2x9,3    |
| 580410  | 4,0x11,6   |
| 580420  | 4,8x13,1   |
| 580160  | 6,4x19,0   |

**HAND RIVITER**

| Art.no. | FOR rivets Ø                               |
|---------|--------------------------------------------|
| 580700  | 4x6,4 - 4,8x6,<br>4 - 3,2x6,8 -<br>2,4x6,4 |
| 580800  | 1,6 - 1,8<br>2,4 - 3,2                     |


**BRASS SCREW**

**Wood screw  
raised  
countersunk  
(flat) head  
DIN 97 brass**



| Art.no. | Dimension Ø<br>x L |
|---------|--------------------|
| 391010  | 3,0x12             |
| 391020  | 3,0x16             |
| 391030  | 3,5x20             |
| 391040  | 4,0x20             |
| 391050  | 4,0x25             |
| 391060  | 4,0x30             |
| 391070  | 5,0x40             |
| 391080  | 5,0x50             |


**Wood screw  
raised counter-  
sunk (oval) head  
with cross  
DIN 7995 brass**



| Art.no. | Dim. Ø x L |
|---------|------------|
| 394020  | 3,0x16     |
| 394030  | 3,5x20     |


**LM blister pre-  
packed assort-  
ment of brass  
wood screws**

**Wood screw raised  
(oval) head  
DIN 95 brass**




| Art.no. | Ø x L  | Antal |
|---------|--------|-------|
| 393015  | 2,5x12 | 10 st |
| 393025  | 3,0x16 | 8 st  |
| 393035  | 3,5x20 | 8 st  |
| 393041  | 4,0x25 | 6 st  |
| 393051  | 5,0x40 | 4 st  |

**Wood screw  
raised (oval)  
head  
DIN 96 brass**




| Art.no. | Dim. Ø x L |
|---------|------------|
| 392060  | 2,0x10     |
| 392010  | 2,5x10     |
| 392020  | 2,5x12     |
| 392030  | 2,5x16     |
| 392040  | 3,0x20     |
| 392050  | 3,5x25     |

**Wood screw  
counter-raised  
head  
DIN 96 brass**



| Art.no. | Ø x L  | Antal |
|---------|--------|-------|
| 392065  | 2,0x10 | 10 st |
| 392015  | 2,5x10 | 10 st |
| 392025  | 2,5x12 | 10 st |
| 392035  | 2,5x16 | 8 st  |
| 392045  | 3,0x20 | 8 st  |
| 392051  | 3,5x25 | 6 st  |

**Wood screw  
raised  
countersunk  
(oval) head  
DIN 95 brass**




| Art.no. | Dim. Ø x L |
|---------|------------|
| 393010  | 2,5x12     |
| 393020  | 3,0x16     |
| 393030  | 3,5x20     |
| 393040  | 4,0x25     |
| 393050  | 5,0x40     |


**Wood screw  
counter-sunk (flat)  
head DIN 97 brass**




| Art.no. | Ø x L  | Antal |
|---------|--------|-------|
| 391015  | 3,0x12 | 10 st |
| 391025  | 3,0x16 | 10 st |
| 391035  | 3,5x20 | 8 st  |
| 391041  | 4,0x20 | 8 st  |
| 391051  | 4,0x25 | 8 st  |
| 391061  | 4,0x30 | 6 st  |
| 391071  | 5,0x40 | 4 st  |
| 391081  | 5,0x50 | 3 st  |

**Hexagon nut  
DIN 934 A4**


| Art.nr. | Dim | Antal |
|---------|-----|-------|
| 320015  | M3  | 8 st. |
| 320025  | M4  | 8 st. |
| 320031  | M5  | 7 st. |
| 320041  | M6  | 5 st. |
| 320051  | M8  | 3 st. |
| 320061  | M10 | 2 st. |
| 320071  | M12 | 2 st. |

**Self locking hexa-  
gon nut DIN 985  
A4**


| Art.nr. | Dim | Antal |
|---------|-----|-------|
| 321015  | M3  | 4 st. |
| 321025  | M4  | 2 st. |
| 321035  | M5  | 2 st. |
| 321045  | M6  | 2 st. |
| 321051  | M8  | 2 st. |
| 321061  | M10 | 2 st. |
| 321071  | M12 | 1 st. |

**Hexagon domed  
capnut  
DIN 1587 A4**


| Art.nr. | Dim | Antal |
|---------|-----|-------|
| 322015  | M3  | 3 st. |
| 322025  | M4  | 2 st. |
| 322035  | M5  | 2 st. |
| 322045  | M6  | 2 st. |
| 322055  | M8  | 2 st. |
| 322061  | M10 | 2 st. |
| 322071  | M12 | 1 st. |

**Wing nut, cold  
pressed  
DIN 315 A4**


| Art.nr. | Dim | Antal |
|---------|-----|-------|
| 323015  | M4  | 4 st. |
| 323021  | M5  | 3 st. |
| 323031  | M6  | 2 st. |
| 323041  | M8  | 2 st. |
| 323051  | M10 | 2 st. |
| 323061  | M12 | 1 st. |

**Washer  
DIN 125**


| Art.nr. | Dim | Antal  |
|---------|-----|--------|
| 330015  | M3  | 22 st. |
| 330025  | M4  | 20 st. |
| 330035  | M5  | 15 st. |
| 330045  | M6  | 12 st. |
| 330055  | M8  | 7 st.  |
| 330065  | M10 | 3 st.  |
| 330075  | M12 | 2 st.  |

**Spring washer  
DIN 127 A4**

| Art.nr. | Dim | Antal  |
|---------|-----|--------|
| 331015  | M3  | 18 st. |
| 331025  | M4  | 18 st. |
| 331035  | M5  | 15 st. |
| 331045  | M6  | 9 st.  |
| 331055  | M8  | 7 st.  |
| 331065  | M10 | 4 st.  |
| 331075  | M12 | 3 st.  |

**Washer big outer-  
Diam. DIN 9021 A4**


| Art.nr. | Dim | Antal  |
|---------|-----|--------|
| 332015  | M4  | 12 st. |
| 332025  | M5  | 12 st. |
| 332035  | M6  | 9 st.  |
| 332045  | M8  | 5 st.  |
| 332055  | M10 | 3 st.  |
| 332065  | M12 | 2 st.  |

**Cup washer nickel-  
plated brass**

| Art.nr. | d   | D    | Ant.  |
|---------|-----|------|-------|
| 339015  | 3,9 | 9,6  | 10 st |
| 339025  | 4,1 | 11,0 | 10 st |
| 339035  | 5,9 | 14,3 | 10 st |
| 339045  | 6,9 | 15,2 | 10 st |
| 339055  | 8,1 | 16,7 | 10 st |
| 339065  | 5,0 | 13,0 | 10 st |

**Self tapping coun-  
tersunk (flat) head  
screw with cross  
DIN 7982 A4**

| Art.nr. | Ø x L   | Antal  |
|---------|---------|--------|
| 314015  | 2,9x13  | 20 st. |
| 314035  | 2,9x19  | 15 st. |
| 314055  | 3,5x9,5 | 12 st. |
| 314085  | 3,5x13  | 12 st. |
| 314151  | 4,2x13  | 12 st. |
| 314161  | 4,2x16  | 12 st. |
| 314241  | 4,8x19  | 8 st.  |
| 314251  | 4,8x25  | 8 st.  |
| 314261  | 4,8x32  | 6 st.  |
| 314271  | 4,8x38  | 6 st.  |

**Self tapping pan-  
head screw with  
cross  
DIN 7981 A4**


| Art.nr. | Ø x L   | Antal  |
|---------|---------|--------|
| 311025  | 2,9x9,5 | 15 st. |
| 311035  | 2,9x13  | 13 st. |
| 311055  | 2,9x19  | 12st.  |
| 311115  | 3,5x9,5 | 12 st. |
| 311125  | 3,5x13  | 12 st. |
| 311135  | 3,5x16  | 13 st. |
| 311145  | 3,5x19  | 11 st. |
| 311155  | 3,5x25  | 9 st.  |
| 311205  | 4,2x9,5 | 12 st. |
| 311215  | 4,2x13  | 9 st.  |
| 311221  | 4,2x16  | 10 st. |
| 311235  | 4,2x19  | 9 st.  |
| 311241  | 4,2x25  | 8 st.  |
| 311255  | 4,2x32  | 7 st.  |
| 311261  | 4,2x38  | 6 st.  |
| 311301  | 4,8x13  | 8 st.  |
| 311311  | 4,8x16  | 7 st.  |
| 311321  | 4,8x19  | 6 st.  |
| 311331  | 4,8x25  | 6 st.  |
| 311341  | 4,8x32  | 5 st.  |
| 311351  | 4,8x38  | 5 st.  |
| 311361  | 4,8x50  | 2 st.  |
| 311371  | 5,5x16  | 4 st.  |
| 311411  | 5,5x19  | 5 st.  |
| 311421  | 5,5x25  | 5 st.  |
| 311431  | 5,5x32  | 4 st.  |
| 311441  | 5,5x38  | 3 st.  |
| 311451  | 5,5x50  | 2 st.  |

**Self tapping  
counter-sunk  
(oval) head screw  
with cross  
DIN 7983 A4**

| Art.nr. | Ø x L   | Antal  |
|---------|---------|--------|
| 507001  | 2,9x9,5 | 20 st. |
| 507002  | 2,9x13  | 20 st. |

**Continuation Self  
tap-ping  
countersunk (oval)  
head with cross  
DIN 7983 A4**

| Art.nr. | Ø x L   | Antal  |
|---------|---------|--------|
| 313105  | 3,5x9,5 | 12 st. |
| 507004  | 3,5x13  | 12 st. |
| 507005  | 3,5x16  | 12 st. |
| 507006  | 3,5x19  | 12 st. |
| 507007  | 3,5x25  | 12 st. |
| 507008  | 3,5x32  | 12 st. |
| 313205  | 4,2x13  | 9 st.  |
| 313215  | 4,2x16  | 9 st.  |
| 313225  | 4,2x19  | 9 st.  |
| 313235  | 4,2x25  | 8 st.  |
| 313245  | 4,2x32  | 7 st.  |
| 313255  | 4,2x38  | 6 st.  |
| 313301  | 4,8x16  | 7 st.  |
| 507009  | 4,8x19  | 8 st.  |
| 507010  | 4,8x25  | 8 st.  |
| 507011  | 4,8x32  | 8 st.  |
| 507012  | 4,8x38  | 6 st.  |
| 313361  | 4,8x50  | 2 st.  |
| 313391  | 5,5x16  | 5 st.  |
| 313401  | 5,5x19  | 5 st.  |
| 313411  | 5,5x25  | 4 st.  |
| 313421  | 5,5x32  | 4 st.  |
| 313431  | 5,5x38  | 3 st.  |
| 313451  | 5,5x50  | 2 st.  |

**Hexagon head bolt  
and screw incl.  
hexagon nut  
DIN 933 =L<=70  
mm  
DIN 931 =L>70 mm**


| Art.nr. | Ø x L  | Antal |
|---------|--------|-------|
| 516520  | 5x20   | 6 st. |
| 516525  | 5x25   | 5 st. |
| 516530  | 5x30   | 5 st. |
| 516540  | 5x40   | 4 st. |
| 300261  | 6x20   | 3 st. |
| 516625  | 6x25   | 4 st. |
| 300281  | 6x30   | 3 st. |
| 516640  | 6x40   | 4 st. |
| 300321  | 6x50   | 2 st. |
| 516820  | 8x20   | 4 st. |
| 300431  | 8x25   | 2 st. |
| 516830  | 8x30   | 3 st. |
| 300461  | 8x40   | 2 st. |
| 516850  | 8x50   | 4 st. |
| 516860  | 8x60   | 4 st. |
| 300547  | 8x80   | 1 st. |
| 300621  | 10x30  | 1 st. |
| 517040  | 10x40  | 2 st. |
| 300661  | 10x50  | 2 st. |
| 517060  | 10x60  | 2 st. |
| 300747  | 10x100 | 1 st. |
| 300821  | 12x40  | 2 st. |
| 300927  | 12x100 | 1 st. |

**Raised countersunk (oval) head screw incl. Hexagonnut DIN 964 A4**



| Art.no. | Ø x L | Antal |
|---------|-------|-------|
| 302105  | 4x16  | 5 st  |
| 302115  | 4x20  | 5 st  |
| 302125  | 4x25  | 4 st  |
| 302191  | 5x16  | 4 st  |
| 302211  | 5x25  | 4 st  |
| 302241  | 5x40  | 3 st  |
| 302291  | 6x25  | 3 st  |
| 302321  | 6x40  | 3 st  |
| 302331  | 6x50  | 2 st  |
| 302344  | 6x60  | 2 st  |
| 302441  | 8x50  | 1 st  |
| 302477  | 8x80  | 1 st  |
| 302487  | 8x100 | 1 st  |

**Cheese head screw incl. nut DIN 84 A4**



| Art.no. | Ø x L | Antal |
|---------|-------|-------|
| 304065  | 3x20  | 8 st  |
| 304145  | 4x16  | 7 st  |
| 304165  | 4x25  | 6 st  |
| 304175  | 4x30  | 6 st  |
| 304251  | 5x20  | 6 st  |
| 304271  | 5x30  | 5 st  |
| 304301  | 5x50  | 3 st  |
| 304351  | 6x25  | 4 st  |
| 304381  | 6x40  | 3 st  |
| 304404  | 6x60  | 2 st  |
| 304417  | 6x80  | 2 st  |
| 304471  | 8x35  | 2 st  |
| 304481  | 8x40  | 2 st  |
| 304491  | 8x50  | 2 st  |
| 304517  | 8x80  | 1 st  |

**Countersunk (flat) head screw incl. hexagon DIN 963 A4**



| Art.no. | Ø x L | Antal |
|---------|-------|-------|
| 303125  | 4x16  | 8 st  |
| 303155  | 4x30  | 6 st  |
| 303221  | 5x20  | 6 st  |
| 303241  | 5x30  | 5 st  |
| 303271  | 5x50  | 4 st  |
| 303284  | 5x60  | 3 st  |
| 303351  | 6x25  | 4 st  |
| 303381  | 6x40  | 3 st  |
| 303404  | 6x60  | 2 st  |
| 303511  | 8x40  | 2 st  |
| 303521  | 8x50  | 2 st  |
| 303557  | 8x80  | 1 st  |

**MRX Z Counter-sunk (oval) head screw with cross, incl.nut DIN 7985 A4**


| Art.no. | Ø x L | Antal |
|---------|-------|-------|
| 306145  | 4x16  | 7 st  |
| 306175  | 4x30  | 6 st  |
| 306255  | 5x20  | 6 st  |
| 306275  | 5x30  | 5 st  |
| 306305  | 5x50  | 3 st  |
| 306355  | 6x25  | 4 st  |
| 306385  | 6x40  | 3 st  |
| 306404  | 6x60  | 2 st  |

**MKFX Z Counter-sunk (oval) head screw with cross incl.nut DIN 966 A4**


| Art.no. | Ø x L | Antal |
|---------|-------|-------|
| 307015  | 4x16  | 7 st  |
| 307025  | 4x20  | 6 st  |
| 307035  | 5x16  | 6 st  |
| 307046  | 5x30  | 5 st  |
| 307055  | 6x25  | 4 st  |
| 307065  | 6x40  | 3 st  |

**Split cotter pin DIN 94 A4 H= fits to Hasselfors**



| Art.no.  | Ø x L  | Antal |
|----------|--------|-------|
| 350035   | 1,0x25 | 8 st  |
| 350105   | 1,6x20 | 8st   |
| 540220   | 2,0x20 | 12 st |
| 540225   | 2,5x25 | 10 st |
| 350205   | 2,0x30 | 7 st  |
| 350005 H | 2,5x12 | 8 st  |
| 350505 H | 2,5x16 | 8 st  |
| 350305   | 2,5x40 | 5 st  |
| 350325   | 2,5x50 | 3 st  |
| 350345 H | 3,2x20 | 8 st  |
| 350355 H | 3,2x25 | 8 st  |
| 350385   | 3,2x40 | 4 st  |
| 350395   | 3,2x45 | 3 st  |
| 350115   | 1,6x25 | 8 st  |
| 350265   | 2,5x20 | 8 st  |
| 350295   | 2,5x36 | 5     |
| 350335   | 3,2x16 | 8     |
| 350375   | 3,2x36 | 6     |
| 350445   | 4x28   | 3     |
| 350465   | 4x40   | 3     |
| 350483   | 4x50   | 2     |
| 350485   | 4x50   | 2     |

**RING PIN A2**


| Art.nr. | Ø x L   | Antal |
|---------|---------|-------|
| 352015  | 1,25x15 | 4     |
| 352025  | 1,5x19  | 4     |
| 352035  | 2,0x23  | 4     |

**Hair pin spring A4**


| Art.nr. | Ø x L   | Antal |
|---------|---------|-------|
| 353003  | 2,0x41  | 4 st  |
| 353013  | 3,0x67  | 4 st  |
| 353023  | 3,5x75  | 3 st  |
| 353033  | 4,0x75  | 3 st  |
| 353043  | 5,0x105 | 2 st  |
| 353053  | 6,0x117 | 2 st  |

**Standard rivit AL Convex head, mandrel steel**



| Art.nr. | Ø x L    | Antal |
|---------|----------|-------|
| 580005  | 3,0-15,0 | 10    |
| 580015  | 3,2x8,0  | 5     |
| 580021  | 4,0-14,0 | 5     |
| 580034  | 4,8-24,0 | 5     |
| 580045  | 6,4x19,5 | 5     |
| 580055  | 3,2x14,0 | 5     |
| 580065  | 6,4-15,5 | 5     |
| 580075  | 4,0-8,0  | 5     |
| 580085  | 4,0x10,0 | 5     |
| 580825  | 4,0x15,5 | 10    |
| 580835  | 4,8x19,0 | 10    |
| 580853  | 4,8x25,5 | 8     |
| 580863  | 4,8x30,0 | 8     |
| 580873  | 4,8x40,0 | 8     |
| 580903  | 6,4-26,0 | 8     |
| 580913  | 6,4-31,5 | 8     |

**Standard rivit SS2343 Convex head, mandrel A4**


| Art.nr. | Ø x L    | Antal |
|---------|----------|-------|
| 580655  | 3,2-16,0 | 5     |
| 580743  | 4,8-20,0 | 4     |
| 580753  | 4,8-20,0 | 2     |

**Standard rivit Nickel and Copper (monel) Convex head, mandrel A4**


| Art.nr. | Ø x L    | Antal |
|---------|----------|-------|
| 580405  | 3,2-9,0  | 8     |
| 580415  | 4,0-11,5 | 8     |
| 580425  | 4,8-12,5 | 8     |

**STAINLESS STEEL**
**Wood screw counter-sunk flat head DIN 97 A4**



| Art.no. | Ø x L | Antal |
|---------|-------|-------|
| 502425  | 4x25  | 6 st  |
| 502435  | 4x35  | 6 st  |
| 502525  | 5x25  | 6 st  |
| 502530  | 5x30  | 4 st  |
| 502535  | 5x35  | 4 st  |
| 502540  | 5x40  | 4 st  |
| 502545  | 5x45  | 3 st  |
| 502550  | 5x50  | 3 st  |
| 502640  | 6x40  | 3 st  |
| 502650  | 6x50  | 3 st  |
| 502660  | 6x60  | 2 st  |

**Wood screw raised head DIN 96 A4**


| Art.no. | Ø x L | Antal |
|---------|-------|-------|
| 500416  | 4x16  | 8 st  |
| 500420  | 4x20  | 8 st  |
| 500425  | 4x25  | 6 st  |
| 500430  | 4x30  | 6 st  |
| 500530  | 5x30  | 4 st  |
| 500535  | 5x35  | 4 st  |
| 500540  | 5x40  | 4 st  |
| 500545  | 5x45  | 3 st  |
| 500550  | 5x50  | 3 st  |
| 500640  | 6x40  | 3 st  |
| 500650  | 6x50  | 3 st  |
| 500660  | 6x60  | 2 st  |

**Wood screws Brass**
**Wood screw raised (oval) head DIN 95 brass**


| Art.no. | Ø x L  | Antal |
|---------|--------|-------|
| 393015  | 2,5x12 | 10 st |
| 393025  | 3,0x16 | 8 st  |
| 393035  | 3,5x20 | 8 st  |
| 393041  | 4,0x25 | 6 st  |
| 393051  | 5,0x40 | 4 st  |

**Wood screw counter raised head DIN 96 brass**


| Art.no. | Ø x L  | Antal |
|---------|--------|-------|
| 392065  | 2,0x10 | 10 st |
| 392015  | 2,5x10 | 10 st |
| 392025  | 2,5x12 | 10 st |
| 392035  | 2,5x16 | 8 st  |
| 392045  | 3,0x20 | 8 st  |
| 392051  | 3,5x25 | 6 st  |